

BROOKS

ACCESS

Phone: 1300 276 657

Email: sales@brooksaccess.com.au

www.brooksaccess.com.au



“Better Being With Brooks”

Proud member of
EWPA
www.ewpa.com.au

Proud member of
TSHA
www.tsha.com.au

CICA
The Crane Industry Council of Australia

BROOKS ACCESS



1300 BROOKS (276 657)



sales@brooksaccess.com.au



brooksaccess.com.au

EWPA
www.equip.com.au

TSHA
www.tsha.com.au

CICA
The Crane Industry Council of Australia

PERTH
Brooks Access
Head Office
45 - 47 Murray Road North
Welshpool WA 6106

Brooks Hire
Head Office
30 Coulson Way
Canning Vale WA 6155

Brooks Equipment
Head Office
39 - 43 Murray Road North
Welshpool WA 6106

Brooks Site Services
Head Office
25 Glassford Road
Kewdale WA 6105

SYDNEY
3 Glossop Street
St Marys NSW 2760

ORANGE
20 Cameron Place
ORANGE NSW 2800

MELBOURNE
610 Geelong Road
Brooklyn VIC 3012

BRISBANE
2355 Ipswich Road
Oxley QLD 4075

ADELAIDE
525 South Road
Regency Park SA 5010

PORT AUGUSTA
70 Victoria Parade
Port Augusta SA 5700

DARWIN
402 Stuart Highway
Winnellie NT 0820

ALBANY
140 Chester Pass Road
Lange WA 6330

BUNBURY
3 Richter Road
Davenport WA 6230

GERALDTON
67-73 Flores Road
Webborton WA 6530

KALGOORLIE
2-4 Williams Street
West Kalgoorlie WA 6430

PORT HEDLAND
1 Manganese Street
Wedgefield WA 6721

NEWMAN
2 Bangkerbang Close
Newman WA 6753

KARRATHA
1 Coolawanyah Road
Karratha WA 6714


TOOWOOMBA
8575 Warrego Highway
Withcott QLD 4352

DALBY
172 Drayton Street
Dalby QLD 4405

GLADSTONE
1 Gladstone Benaraby Road
Gladstone Central QLD 4680

MACKAY
27 Barnes Creek Road
Cremorne QLD 4740

TOWNSVILLE
833 Ingham Road
BOHLE QLD 4818



WHO ARE BROOKS ACCESS?

Brooks Access specialise in the hire and sale of access equipment.

Brooks Access is a part of Brooks Group Australia; an Australian family owned and operated business since 1979. With over 45 years experience in construction machinery, we've built a solid reputation of reliability and integrity.

WHAT CAN WE DO FOR YOU?

■ QUALITY ASSURANCE

- ISO & Australian Standards in Quality Management, Health & Safety, and Environmental Management.

■ NEW EQUIPMENT

- We have the capacity to purchase brand new equipment as our clients require it.
- Growing range of equipment such as Articulated Boom Lifts, Scissor Lifts, Telescopic Boom Lifts, and Telescopic Handlers.

■ HIRE AND SALES

- Short term and long term hire available.
- Brand new equipment sales.
- Quality brands such as JLG, Genie, Haulotte, Manitou, Dieci, JCB, Melro, Kalmar, Hyster & Franna.

■ SERVICE & PARTS

- Team of specialist Parts Interpreters with a huge range of spare parts kept in store.
- Technical support and extended after sale maintenance service.

■ TRANSPORT & DELIVERY

- 29 Branches Australia wide. Delivery can be facilitated to any jobsite in Australia.



ARTICULATED BOOM LIFTS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brookssaccess.com.au
brookssaccess.com.au

31ft Articulated Boom Lift - Electric

XCMG XGA12ACK

FOR HIRE

FOR SALE

Platform Height 9.56 m
Max. Horizontal Reach 6.87 m
Platform Capacity 230 kg (unrestricted)
Key Features
Zero tailswing and just 1.19m wide for compact operation. 35% gradeability and proportional controls. 160° platform rotation for flexible positioning.



34ft Articulated Boom Lift - Rough Terrain

GENIE Z-34/22 IC

FOR HIRE

FOR SALE

Platform Height 10.54 m
Max. Horizontal Reach 6.78 m
Platform Capacity 227 kg (unrestricted)
Key Features
4WD and up to 45% gradeability for superior terrainability. 1.22 m articulating jib with a 139° vertical rotation. Zero tailswing and nose swing in all positions.



34ft Articulated Boom Lift - Diesel

JLG 340AJ

FOR HIRE

Platform Height 10.33 m
Max. Horizontal Reach 6.07 m
Platform Capacity 227 kg (unrestricted)
Key Features
Environmentally-friendly Tier 4 diesel engine. Ideal for general contractors, steel erectors, painters, stadium construction and more.



38ft Articulated Boom Lift - Electric

Snorkel A38E

FOR HIRE

Platform Height 11.5 m
Max. Horizontal Reach 6.1 m
Platform Capacity 215 kg (unrestricted)
Key Features
A lightweight, durable and reliable electric articulated boom lift. Designed for internal and external use, featuring compact dimensions for maximum maneuverability & versatility.



45ft Articulated Boom Lift - Diesel

JLG 450AJ

FOR HIRE

Platform Height 13.72 m
Max. Horizontal Reach 7.62 m
Platform Capacity 250 kg (unrestricted)
Key Features
Accessibility – up and over access. Move over uneven surfaces with Automatic Traction Control. More durability and serviceability.



45ft Articulated Boom Lift - Rough Terrain

GENIE Z-45 XC

FOR HIRE

FOR SALE

Platform Height 13.87 m
Max. Horizontal Reach 7.55 m
Platform Capacity 300 kg (unrestricted)
Key Features
Full-time active oscillating axle helps maintain traction on rough terrain. 4WD and 45% gradeability for superior terrainability. Dual lifting capacity: unrestricted platform capacity.



45ft Articulated Boom Lift - Diesel

Haulotte HA16RTJ PRO

FOR HIRE

Platform Height 14.0 m
Max. Horizontal Reach 8.3 m
Platform Capacity 230 kg (unrestricted)
Key Features
Haulotte ActivLighting System for safe loading. Modular large basket 2.44 m x 0.91 m quick & easy to repair. Haulotte Stop Emission System.



46ft Articulated Boom Lift - Diesel

Snorkel A46JRT

FOR HIRE

FOR SALE

Platform Height 14.3 m
Max. Horizontal Reach 7.35 m
Platform Capacity 227 kg (unrestricted)
Key Features
Provides exceptional maneuverability with an articulated jib as standard for extended reach. Features a tight turning radius and zero tailswing.



60ft Articulated Boom Lift - Rough Terrain

JLG 600AJ

FOR HIRE

FOR SALE

Platform Height 18.47 m
Max. Horizontal Reach 12.10 m
Platform Capacity 230 kg (unrestricted)
Key Features
Optional articulating jib gets you into hard-to-reach places. Unmatched maneuverability for confined work area. Best reach envelope in its class.



60ft Articulated Boom Lift - HI-CAPACITY

JLG 600AJ-HC3

FOR HIRE

Platform Height 16.29 m
Max. Horizontal Reach 12.37 m
Platform Capacity 453.59 kg (unrestricted)
Key Features
3 Capacity Zones - Each rated for 3 occupants + tools/materials. A zero calibration automatic load sensing system. An upgraded light panel is more visible in the sun.



ARTICULATED BOOM LIFTS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brooksaccess.com.au
brooksaccess.com.au

62ft Articulated Boom Lift - Rough Terrain

GENIE Z-62/40

FOR HIRE

FOR SALE

Platform Height 18.87 m
Max. Horizontal Reach 12.42 m
Platform Capacity 227 kg (unrestricted)

Key Features

Full-time active oscillating axle helps maintain traction on rough terrain. 4WD and 45% gradeability for superior terrainability. Dual lifting capacity: unrestricted platform capacity.



80ft Articulated Boom Lift - Rough Terrain

GENIE Z-80/60

FOR HIRE

FOR SALE

Platform Height 23.77 m
Max. Horizontal Reach 18.29 m
Platform Capacity 227 kg (unrestricted)

Key Features

Genie® Fast Mast™ system lowers the platform to the ground without having to lower the secondary boom. Full-time positive traction and full-time 4WD.



80ft Articulated Boom Lift - Diesel

JLG 800AJ

FOR HIRE

FOR SALE

Platform Height 24.5 m
Max. Horizontal Outreach 15.8 m
Platform Capacity 230 kg (unrestricted)

Key Features

Driving speed - 4WD: 4.83 km/h. Turning Radius Outside: 3.53 m
Workstation in the Sky® accessories. Reduced emissions. Best reach envelope in the industry.



80ft Articulated Boom Lift - Diesel

HAULOTTE HA26 RTJ PRO

FOR HIRE

Platform Height 24.4 m
Max. Horizontal Outreach 17.5 m
Platform Capacity 250 kg (2 person)

Key Features

Solid Rough Terrain tyres. Large modular basket with dual capacity. Option for 350kg lift capacity.



80ft Articulated Boom Lift - HI-CAPACITY

JLG 800AJ HC3

FOR HIRE

Platform Height 24.5 m
Max. Horizontal Outreach 15.9 m
Platform Capacity 300 kg (unrestricted)

Key Features

Driving speed - 4WD: 4.83 km/h. Extra platform capacity up to 454 kg (restricted)
Engine Type - Dual Fuel, 360 Degrees Swing



80ft Articulated Boom Lift - Diesel

XCMG XGA26K

FOR HIRE

FOR SALE

Platform Height 24.6 m
Max. Horizontal Reach 19.5 m
Platform Capacity 256 kg (ltd)

Key Features

160° of platform rotation, four-wheel braking, an axle balancing system and axle balance pressure detection system.



125ft Articulated Boom Lift - Diesel

JLG 1250AJP

FOR HIRE

Platform Height 36.30 m
Max. Horizontal Reach 19.25 m
Platform Capacity 230 kg (unrestricted)

Key Features

Strong 100,000-psi steel and a dual 230kg / 450kg capacity. JibPLUS Boom 2.44m, Jib Articulates Vertically & Horizontally, Oscillating AxleStrong.



135ft Articulated Boom Lift - Rough Terrain

HAULOTTE HA41 RTJ Pro

FOR HIRE

Platform Height 39.5 m
Max. Horizontal Reach 20.1 m
Platform Capacity 230 kg

Key Features

Ideal for outdoor construction and industrial applications. Differential wheel lock increasing rough terrain capacity. Four-wheel steer and coordinated steer options.



135ft Articulated Boom Lift - Rough Terrain

GENIE ZX-135/70

FOR HIRE

FOR SALE

Platform Height 41.15 m
Max. Horizontal Reach 21.26 m
Platform Capacity 272 kg

Key Features

Ideal for outdoor construction and industrial applications. 360° continuous rotation turntable and 160° platform rotation. Four-wheel steer and coordinated steer options.



150ft Articulated Boom Lift - Diesel

JLG 1500AJP

FOR HIRE

Platform Height 45.72 m
Max. Horizontal Reach 22.86 m
Platform Capacity 454 kg

Key Features

Fast cycle speeds from ground to full elevation with QuikStik® boom technology. Single sensor load sensing system requires no weight to calibrate.



HYBRID BOOM LIFTS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brooksaccess.com.au
brooksaccess.com.au

45ft Articulated Boom Lift - Hybrid

Genie Z-45FE

FOR HIRE

FOR SALE

Platform Height 13.92 m
Max. Horizontal Reach 6.94 m
Platform Capacity 300 kg (unrestricted)

Key Features

Environment-friendly solution for increased efficiency and low cost of operation. In 'all-electric' mode it offers a full work day of emissions-free run time on a single battery charge.



45ft Articulated Boom Lift - Hybrid

XCMG XGA16K

FOR HIRE

FOR SALE

Platform Height 14.63 m
Max. Horizontal Reach 8.82 m
Platform Capacity 350 kg (limited)

Key Features

Hybrid boom lift, featuring an electrical system with distributed PLC control technology and adaptive control of proportional valves.



60ft Articulated Boom Lift - Hybrid

Genie Z-60FE

FOR HIRE

FOR SALE

Platform Height 18.16 m
Max. Horizontal Reach 11.15 m
Platform Capacity 227 kg (unrestricted)

Key Features

The ideal, environment-friendly solution for increased efficiency & low cost of operation. In 'all-electric' mode it offers a full work day of emissions-free run time on a single battery charge.



60ft Articulated Boom Lift - Hybrid

XCMG XGA20K

FOR HIRE

FOR SALE

Platform Height 18.63 m
Max. Horizontal Reach 12.08 m
Platform Capacity 350 kg (limited)

Key Features

"Σ" type linkage folding hybrid boom that's compact, easy to operate, safe, reliable, and accurate, meeting the needs of multiple industries.



TELESCOPIC BOOM LIFTS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brooksaccess.com.au
brooksaccess.com.au

45ft Telescopic Boom Lift - Extra Capacity

GENIE S-45 XC

FOR HIRE

FOR SALE

Platform Height 13.7 m
Max. Horizontal Reach 11 m
Platform Capacity 300 kg Unrestricted
Key Features
Up to 454 Kg capacity with restricted envelope.
Load sense technology for accurate load weighing and zero-load field calibration.



65ft Telescopic Boom Lift - Extra Capacity

GENIE S-65 XC

FOR HIRE

FOR SALE

Platform Height 19.8 m
Max. Horizontal Reach 16.5 m
Platform Capacity 300 kg Unrestricted
Key Features
Robust jib design to handle loads up to 454 kg capacity with restricted envelope. Load sense technology.
Chassis tilt sensor technology.



72ft Telescopic Boom Lift - Combined Boom

XCMG XGS22K

FOR HIRE

FOR SALE

Platform Height 20 m
Max. Horizontal Reach 17.2 m
Platform Capacity 460 kg Limited
Key Features
Combined boom, consisting of a double-linked tower boom and three sections of telescopic boom, with a fly boom structure.



85ft Telescopic Boom Lift - Extra Capacity

GENIE S-85 XC

FOR HIRE

FOR SALE

Platform Height 25.91 m
Max. Horizontal Reach 23 m
Platform Capacity 300 kg Unrestricted
Key Features
Up to 3 people can work onboard with room tools & materials.
Up to 454 kg capacity with restricted envelope.
Zero-load field calibration. Chassis tilt sensor technology.



135ft Telescopic Boom Lift - Extra Capacity

GENIE SX-135 XC

FOR HIRE

FOR SALE

Platform Height 41.15 m
Max. Horizontal Reach 27.43 m
Platform Capacity 300 kg Unrestricted
Key Features
Industry-leading 27.43 m of maximum outreach.
Increased range of motion with 125° of jib articulation.
Up to 454 Kg capacity with restricted envelope.



SCISSOR LIFTS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brookssaccess.com.au
brookssaccess.com.au

14ft Scissor Lift - Electric

GENIE GS-1432

FOR HIRE

FOR SALE

Platform Height 4.30 m
Machine Width 81 cm
Platform Capacity 227 kg

Key Features

Features an efficient, all-electric AC drive system that offers unmatched productivity for getting around indoor & outdoor jobsites in a compact & lightweight package.



19ft Scissor Lift - Electric

JLG R1932

FOR HIRE

FOR SALE

Platform Height 5.8 m
Machine Width 0.81 m
Platform Capacity 230 kg

Key Features

Active pothole protection with increased ground clearance. Fewer parts and an improved battery charger. All-steel platform & component doors, thicker rubber tires.



19ft Scissor Lift - Electric

GENIE GS-1932

FOR HIRE

FOR SALE

Platform Height 5.85 m
Machine Width 0.81 m
Platform Capacity 227 kg

Key Features

Front-wheel drive and zero inside turning radius. Large platform workspace with 0.91 m (36 in) roll-out platform extension.



19ft Scissor Lift - Electric

SNORKEL 3219E

FOR HIRE

FOR SALE

Platform Height 5.79 m
Machine Width 0.81 m
Platform Capacity 250 kg

Key Features

Roll-out deck extension with dual locks. a standard doorway, this scissor lift suits indoor & outdoor applications. Deep cycle batteries maximize working hours.



19ft Scissor Lift - Electric

XCMG XG0807ACW

FOR HIRE

FOR SALE

Platform Height 5.8 m
Machine Width 0.81 m
Platform Capacity 230 kg

Key Features

Electric scissor lift featuring a zero inner turning radius design, allowing access in narrow spaces.



26ft Scissor Lift - Electric

GENIE GS-2632

FOR HIRE

FOR SALE

Platform Height 7.92 m
Machine Width 0.81 m
Platform Capacity 227 kg

Key Features

Easy to maneuver in tight spaces. Large platform workspace - 90cm roll-out platform extension. User-friendly dual-zone controls for indoor and outdoor use.



26ft Scissor Lift - Electric

JLG ES2632

FOR HIRE

FOR SALE

Platform Height 7.8 m
Machine Width 0.81 m
Platform Capacity 230 kg

Key Features

Industry-exclusive outdoor rating for use up to 21 ft. Active pothole protection / increased ground clearance. Fit Through Standard Doorways gives you more access.



26ft Scissor Lift - Electric

XCMG XG1012AC

FOR HIRE

FOR SALE

Platform Height 8 m
Machine Width 1.17 m
Platform Capacity 450 kg

Key Features

Electric scissor lift adopting an energy-efficient electric drive system with zero emissions and low noise.



32ft Scissor Lift - Electric

JLG R3246

FOR HIRE

FOR SALE

Platform Height 9.8 m
Machine Width 1.17 m
Platform Capacity 320 kg

Key Features

Lightweight with simplified lift system. Pothole protection for increased ground clearance. Complies with Aust Standard AS/NZS 1418.10.



46ft Scissor Lift - Electric

GENIE GS-4655E

FOR HIRE

FOR SALE

Platform Height 13.95 m
Machine Width 1.41 m
Platform Capacity 350 kg

Key Features

Powerful AC electric drive motors for unmatched driving performance and industry-leading runtime per battery charge. Quiet, zero-emission electric operation.



SCISSOR LIFTS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brooksaccess.com.au
brooksaccess.com.au

22ft Scissor Lift - Rough Terrain

SNORKEL S2255RT

FOR HIRE

FOR SALE

Platform Height 6.5 m
Machine Width 1.45 m
Platform Capacity 420 kg

Key Features

Equipped with long-lasting lithium batteries. Suitable for indoor and outdoor use without sacrificing power. Features ultra-narrow width and low weight.



26ft Scissor Lift - Rough Terrain

GENIE GS-2669 RT

FOR HIRE

FOR SALE

Platform Height 7.7 m
Machine Width 1.75 m
Platform Capacity 680 kg

Key Features

Tough construction-oriented four-wheel drive machine. Up to 45% grade-ability for demanding outdoor sites. Foam-filled, rough-terrain tyres.



33ft Scissor Lift - Rough Terrain

GENIE GS-3369 RT

FOR HIRE

FOR SALE

Platform Height 9.75 m
Machine Width 1.75 m
Platform Capacity 454 kg

Key Features

Four-wheel drive and positive traction control. Drive and function at full height. 40% grade-ability. Equipped with foam-filled, rough-terrain tyres.



33ft Scissor Lift - Rough Terrain

SNORKEL 3370 RT

FOR HIRE

FOR SALE

Platform Height 10.1 m
Machine Width 1.76 m
Platform Capacity 454 kg

Key Features

A compact diesel scissor lift with an excellent performance. Standard features include auto level outriggers for stability and a roll-out deck extension for accessibility.



33ft Scissor Lift - Rough Terrain

JLG 3396RT

FOR HIRE

Platform Height 8.06 m
Machine Width 1.76 m
Platform Capacity 454 kg

Key Features

Engine powered rough terrain models offer drive capability at full height. Features an LCD platform control box with LiftSense technology and USB charging.



40ft Scissor Lift - Rough Terrain

JLG RT4069

FOR HIRE

Platform Height 12.3 m
Machine Width 1.75 m
Platform Capacity 363 kg

Key Features

Four-wheel drive and positive traction control. Up to 40% grade-ability when driving on slopes. Foam-filled, rough-terrain tyres.



40ft Scissor Lift - Rough Terrain

GENIE GS-4069 RT

FOR HIRE

FOR SALE

Platform Height 12.30 m
Machine Width 1.75 m
Platform Capacity 363 kg

Key Features

Four-wheel drive and positive traction control. Up to 40% grade-ability when driving on slopes. Foam-filled, rough-terrain tyres.



43ft Scissor Lift - Rough Terrain

GENIE GS-4390 RT

FOR HIRE

FOR SALE

Platform Height 13.11 m
Machine Width 2.36 m
Platform Capacity 680 kg

Key Features

Built to tackle the most rigorous job site conditions. Up to 50% grade-ability when driving on slopes. Foam-filled, rough-terrain tyres.



53ft Scissor Lift - Rough Terrain

GENIE GS-5390 RT


FOR HIRE

FOR SALE

Platform Height 16.15 m
Machine Width 2.36 m
Platform Capacity 680 kg

Key Features

4 Wheel drive with positive traction control. Proportional lift and drive. Up to 50% grade-ability. Foam-filled, rough-terrain tyres.



TRAILER-MOUNTED BOOMS

BROOKS
ACCESS

☎ 1300 BROOKS (276 657)
✉ sales@brooksaccess.com.au
🌐 brooksaccess.com.au

34ft Trailer-Mounted Boom Lift

GENIE TZ-34/20

FOR HIRE

FOR SALE

Platform Height 10.36 m
Max. Horizontal Reach 5.59 m
Platform Capacity 227 kg Unrestricted
Key Features
Rugged and heavy-duty, yet lightweight
359° non-continuous turntable
rotation for versatile positioning.



42ft Trailer-Mounted Boom Lift

Snorkel MHP 13/35

FOR HIRE

FOR SALE

Platform Height 12.61 m
Max. Horizontal Reach 5.6 m
Platform Capacity 227 kg Unrestricted
Key Features
Features automatic self-levelling stabilisers, platform
foot switch, rotating basket mount, Heavy duty
jockey wheel, heavy duty tow coupling.



42ft Trailer-Mounted Boom Lift

Snorkel MHP 13AT

FOR HIRE

FOR SALE

Platform Height 10.9 m
Max. Horizontal Reach 6.4 m
Platform Capacity 4215 kg Unrestricted
Key Features
Features automatic self-levelling stabilisers, platform
foot switch, rotating basket mount, Heavy duty
jockey wheel, heavy duty tow coupling.



50ft Trailer-Mounted Boom Lift

GENIE TZ-50

FOR HIRE

FOR SALE

Platform Height 17.09 m
Max. Horizontal Reach 8.89 m
Platform Capacity 200 kg Unrestricted
Key Features
Easy to transport. Can be towed behind vehicles
with a 50 mm ball coupler. 200 kg capacity
across the range of motion.



TELESCOPIC HANDLERS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brooksaccess.com.au
brooksaccess.com.au

2.5-tonne Telehandler

JCB 525-60

FOR HIRE

Max. Lift Capacity 2500 kg
Max. Lifting Height 6 m
Max. Engine Power 55 kW

Key Features

Excellent visibility and manoeuvrability, versatile performance, potent power and innovation-driven efficiency are all part of the package. 4WD comes as standard with two-speed hydrostatic transmission.



3.1-tonne Telehandler

JCB 531-70

FOR HIRE

Max. Lift Capacity 3100 kg
Max. Lifting Height 7 m
Max. Engine Power 81 kW

Key Features

The latest JCB 531-70 Construction Loadall uses a combination of individual hydraulic wheel motors and four-wheel steer for superb manoeuvrability.



3.2-tonne Telehandler

MANITOU MT-X 732

FOR HIRE

Max. Lift Capacity 3200 kg
Max. Lifting Height 6.9 m
Max. Engine Power 70 kW

Key Features

The all-terrain Manitou MT-X 732 is a fully mine and agriculture spec'd machine providing versatility and efficiency in all sectors.



3.2-tonne Telehandler

JCB 532-60 AG

FOR HIRE

Max. Lift Capacity 3200 kg
Max. Lifting Height 6.22 m
Max. Engine Power 97 kW

Key Features

12% increase in size to give best-in-class cab volume, 50% reduction in cab noise to give a best-in-class 69dBA, 14% increase in upward visibility through new seamless one-piece curved glazing.



3.2-tonne Telehandler

JCB 532-70 AG

FOR HIRE

Max. Lift Capacity 3200 kg
Max. Lifting Height 7 m
Max. Engine Power 112 kW

Key Features

12% increase in size to give best-in-class cab volume, 50% reduction in cab noise to give a best-in-class 69dBA, 14% increase in upward visibility through new seamless one-piece curved glazing.



3.5-tonne Telehandler

MERLO 35.7-115

FOR HIRE

FOR SALE

Max. Lift Capacity 3500 kg
Max. Lifting Height 6.6 m
Max. Engine Power 90 kW

Key Features

Lowest in-class weight minimises consumption while delivering max lifting capacity. Improved acceleration and higher maximum speed.



4-tonne Telehandler

MANITOU MT-X 1440

FOR HIRE

Max. Lift Capacity 4000 kg
Max. Lifting Height 13.5 m
Max. Engine Power 74.5 kW

Key Features

Designed for sites requiring increased lift height. You can safely remove loads thanks to the broad outriggers which give you excellent lateral and front stability.



4-tonne Telehandler

MANITOU MT-X 1840

FOR HIRE

Max. Lift Capacity 4000 kg
Max. Lifting Height 17.6 m
Max. Engine Power 75.3 kW

Key Features

Designed for sites requiring increased lift height. You can safely remove loads thanks to the outriggers and frame levelling system.



4-tonne Telehandler

XCMG XT4018KH

FOR HIRE

Max. Lift Capacity 4000 kg
Max. Lifting Height 17.55 m
Max. Engine Power 72 kW

Key Features

Impressive reach and lifting performance. Its four-section telescopic boom, three steering modes and $\pm 10^\circ$ frame levelling system provide excellent versatility, stability and load control across uneven terrain.



4.1-tonne Telehandler

JCB 541-70

FOR HIRE

Max. Lift Capacity 4100 kg
Max. Lifting Height 7 m
Max. Engine Power 81 kW

Key Features

4WD as standard, helping you maintain plenty of traction. Its parallel lift capability means the 541-70 Loadall offers excellent load retention.



TELESCOPIC HANDLERS

BROOKS
ACCESS

☎ 1300 BROOKS (276 657)
✉ sales@brooksaccess.com.au
🌐 brooksaccess.com.au

4.2-tonne Telehandler

MERLO TF42.7-100

FOR HIRE

FOR SALE

Max. Lift Capacity 4200 kg

Max. Lifting Height 7.2 m

Max. Engine Power 74 kW

Key Features

Equipped with a Kubota cylinder, 100hp Engine, that helps deliver better acceleration and higher maximum speed of 40km/h.



6-tonne Telehandler

MERLO P60.10EE

FOR HIRE

Max. Lift Capacity 6000 kg

Max. Lifting Height 9.55 m

Max. Engine Power 74 kW

Key Features

Designed to work in the most demanding conditions where performance in terms of lifting capacity and engine power make all the difference.



7-tonne Telehandler

Dieci Samson 70.10

FOR HIRE

Max. Lift Capacity 7000 kg

Max. Lifting Height 9.5 m

Max. Engine Power 93 kW

Key Features

Anti-tipping device with pejerorative movement block.
Soundproof closed cab, ROPS-FOPS approved, with heater.
Self-blocking front axle differential (limited slip 45%).



7.0-tonne Telehandler

Magni TH 7.10 P

FOR HIRE

Max. Lift Capacity 7000 kg

Max. Lifting Height 9.5 m

Max. Engine Power 74.4 kW

Key Features

Equipped with 4WD, hydraulic levelling and automatic attachment recognition, ensuring stability, precision and versatility across demanding conditions.



7.2-tonne Telehandler

MERLO P72.10

FOR HIRE

FOR SALE

Max. Lift Capacity 7200 kg

Max. Lifting Height 9.2 m

Max. Engine Power 74 kW

Key Features

Equipped with active cab suspension, which ensures effective damping under all load, driving and speed conditions.
Versatility in agricultural, construction, waste management.



FORKLIFTS

BROOKS
ACCESS

1300 BROOKS (276 657)
sales@brooksaccess.com.au
brooksaccess.com.au

2.5-tonne Forklift

HYSTER H2.5XT **FOR HIRE**

Max. Lift Capacity 2500 kg
Max. Lifting Height 6.35 m
Load Centre 0.5 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance & advanced safety features.



2.5-tonne Forklift

XCMG FD25T-JBN **FOR HIRE** **FOR SALE**

Max. Lift Capacity 2,500 kg
Max. Lifting Height 4.07 m
Load Centre 0.5 m

Key Features

XCMG's FD25T features ergonomic operator controls, low cost of operation, and easy maintenance.



3-tonne Forklift

HYSTER H3.0XT LPG **FOR HIRE**

Max. Lift Capacity 3000 kg
Max. Lifting Height 6.30 m
Load Centre 0.5 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance & advanced safety features.



3.5-tonne Forklift

LIFTSMART LS-RT35 4 RT **FOR HIRE**

Max. Lift Capacity 3500 kg
Max. Lifting Height 4.1 m
Load Centre 0.6 m

Key Features

4WD forklifts are equipped with Cummins engines offering powerful performance and reliability whilst being easy to maintain.



3.5-tonne Forklift

XCMG FD35T JEN **FOR HIRE** **FOR SALE**

Max. Lift Capacity 3,500 kg
Max. Lifting Height 3 m
Load Centre 0.5 m

Key Features

XCMG's FD35T features ergonomic operator controls, low cost of operation, and easy maintenance.



4.5-tonne Forklift

JCB 945-4 RT **FOR HIRE**

Max. Lift Capacity 4,500 kg
Max. Lifting Height 4.5 m
Load Centre 0.6 m

Key Features

Rough terrain forklift with Synchro Shuttle transmission and side shift function for fast and smooth directional changes.



5-tonne Forklift

HYSTER H5.0FT **FOR HIRE**

Max. Lift Capacity 5000 kg
Max. Lifting Height 4.1 m
Load Centre 0.6 m

Key Features

These forklift trucks give outstanding power and reliability for the toughest, most arduous and challenging applications.



5-tonne Forklift

MANITOU M-X 50-4 **FOR HIRE**

Max. Lift Capacity 5000 kg
Max. Lifting Height 4.1 m
Load Centre 0.6 m

Key Features

Designed for activities on difficult terrain or with obstacles. The high driving position offers a 360° panoramic vision for enhanced safety of the operator.



5-tonne Forklift

ENFORCER FLDAXF50-08C1XS **FOR HIRE**

Max. Lift Capacity 5000 kg
Max. Lifting Height 4.1 m
Load Centre 0.6 m

Key Features

Designed for tough and rugged applications. Premium hydraulics ensure functional excellence, while intuitive controls provide smooth and seamless handling.



5-tonne Forklift

LIFTSMART LS-RT50 4 RT **FOR HIRE**

Max. Lift Capacity 5000 kg
Max. Lifting Height 6 m
Load Centre 0.6 m

Key Features

4WD forklifts are equipped with Cummins engines offering powerful performance and reliability whilst being easy to maintain.



FORKLIFTS

BROOKS
ACCESS

☎ 1300 BROOKS (276 657)
✉ sales@brooksaccess.com.au
🌐 brooksaccess.com.au

9-tonne Forklift

CROWN CD90S-D

FOR HIRE

Max. Lift Capacity 9000 kg
Max. Lifting Height 4.1 m
Load Centre 1.2 m

Key Features

Features great operator comfort and comes with an Operator Sensing System to provide high operator and forklift safety.



16-tonne Forklift

HYSTER H16.00XM

FOR HIRE

Max. Lift Capacity 16000 kg
Max. Lifting Height 4.5 m
Load Centre 1.2 m

Key Features

Equipped with heavy duty Vista masts with a wide range of carriages available to suit the toughest applications including non-sideshift, sideshift and individual or simultaneous fork-positioning.



16-tonne Forklift

KALMAR DCG160-12

FOR HIRE

Max. Lift Capacity 16000 kg
Max. Lifting Height 4.5 m
Load Centre 1.2 m

Key Features

Complete heavy duty overhead guard
Electronically controlled and monitored
4 cylinder turbo diesel engine 129 kW @ 2300 rpm



22-tonne Crane

FOR HIRE

TEREX Franna AT22 (22 tonne at 1.4m radius)

Max. tip height	17 m	Articulation	40° R / 40° L
Max. boom length	17.9 m	Engine Type	Mercedes OM 906
Machinery hook	10,000 kg	Transmission	Allison 6 speed

Key Features

Boasting maximum safety features and superior capabilities than that of other pick and carry cranes in the field. Wide stance boom lift cylinders enhance operator's vision. Easy access to all key maintenance points. Modern cabin design ensures maximum comfort for the operator.



25-tonne Crane

FOR HIRE

TEREX Franna MAC25-4


Max. tip height	19 m	Articulation	40° R / 40° L
Max. boom length	18.4 m	Engine Type	Mercedes OM 906
Machinery hook	15,000 kg	Transmission	Allison 6 speed

Key Features

The MAC 25 offers maximum safety, excellent roadability, intuitive operation and unmatched versatility. Features automatic counterweight detection, operator settable maximum working height, maximum working radius, maximum front axle weight, rigging limits and percentage of rated capacity



ELEVATED WORK PLATFORMS FOR SALE



Authorised Dealers for



in Western Australia, Northern Territory, South Australia & North Queensland.

 **1300 BROOKS** (1300 276 657)
 sales@brooksequipment.com.au
 www.brooksequipment.com.au



“Better Being With Brooks”



New Equipment List

XCMG SCISSOR LIFTS



7.8 m Scissor Lift - Electric

XCMG XG0807ACW

Platform Height	5.8 m
Machine Width	0.81 m
Platform Capacity	230 kg
Platform Dimensions	1.67 m x 0.74 m

Key Features

The unique "zero inner turning radius" design allows for flexible use in narrow spaces.



10 m Scissor Lift - Electric

XCMG XG1012AC

Platform Height	8 m
Machine Width	1.17 m
Platform Capacity	450 kg
Platform Dimensions	2.27 m x 1.12 m

Key Features

It adopts an energy-efficient electric drive system with zero emissions and low noise.



10 m Scissor Lift - Electric

XCMG XG1008AC

Platform Height	8 m
Machine Width	0.81 m
Platform Capacity	230 kg
Platform Dimensions	2.27 m x 0.81 m

Key Features

It adopts an energy-efficient electric drive system with zero emissions and low noise.



12 m Scissor Lift - Rough Terrain

XCMG XG1218RT

Platform Height	10 m
Machine Width	1.76 m
Platform Capacity	455 kg
Platform Dimensions	2.88 m x 1.52 m

Key Features

Engine Kubota, 18.2 kW/ 3000 rpm
Tipping alarms, 200 mm ground clearance.



15 m Scissor Lift - Rough Terrain

XCMG XG1523RT

Platform Height	13 m
Machine Width	2.29 m
Platform Capacity	680 kg
Platform Dimensions	3.980 m x 1.83 m

Key Features

Kubota Euro stage V emission, 115L hydraulic oil tank
115L diesel fuel tank. 4-wheel multi-disc brakes.



18.1 m Scissor Lift - Rough Terrain

XCMG XG1823RT

Platform Height	16.1 m
Machine Width	2.86 m
Platform Capacity	680 kg
Platform Dimensions	3.980 m x 1.83 m

Key Features

Kubota Euro stage V emission, 115L hydraulic oil tank
115L diesel fuel tank. 12V DC emergency power.





New Equipment List

XCMG BOOM LIFTS



11.5m Articulated Boom Lift - Electric

XCMG XGA12ACK

Platform Height 9.56 m
Max. Horizontal Reach 6.87 m
Platform Capacity 230 kg (unrestricted)

Key Features

Zero tailswing and just 1.19m wide for compact operation. 35% gradeability and proportional controls. 160° platform rotation for flexible positioning.



12.5 m Articulated Boom Lift - Diesel

XCMG XGA12K

Platform Height 10.55 m
Max. Horizontal Reach 6 m
Platform Capacity 230 kg
Platform size 1.4m x 0.7m x 1.15m

Key Features

Platform automatic levelling system, fully proportional multi function controls, enable switch.



16.6 m Articulated Boom Lift - Hybrid

XCMG XGA16K

Platform Height 14.63 m
Max. Horizontal Reach 8.82 m
Platform Capacity 256/350 kg (Limited)
Platform size 1.83m x 0.76m x 1.15m

Key Features

Electrical system with distributed PLC control technology & adaptive control of proportional valves.



20.6 Articulated Boom Lift - Hybrid

XCMG XGA20K

Platform Height 18.63 m
Max. Horizontal Reach 12.08 m
Platform Capacity 256/350 kg (Limited)
Platform size 1.83m x 0.76m x 1.15m

Key Features

Four-wheel drive, climbing capacity 45%, equipped with axle balance. Ground adaptability is stronger.



26.6 m Articulated Boom Lift - Diesel

XCMG XGA26K

Platform Height 24.6 m
Working Radius 19.5 m
Platform Capacity 150/256 kg (Limited)
Platform size 2.4m x 0.9m

Key Features

160° Platform rotation, Axle balance system, Axle balance pressure detection system 4-wheel braking system



22 m Telescopic Boom Lift - Diesel

XCMG XGS22K

Platform Height 20 m
Working Radius 17.2 m
Platform Capacity 300/460 kg (Limited)
Platform size 2.44m x 0.9m x 1.15m

Key Features

The combined boom consists of a double-linked tower boom + 3 sections of telescopic boom + 1 section of small flying boom structure.



40.2 m Telescopic Boom Lift - Diesel

XCMG XGS40K

Platform Height 40.2 m
Max. Working Range 24.9 m
Platform Capacity 300/460 kg (Limited)
Platform size 2.4m x 0.9m x 1.15m

Key Features

Rotation angle of turntable 360 degrees continuous. Min. Turning Radius (outside) 6.8 m (Axle retracted).



58.6 m Telescopic Boom Lift - Diesel

XCMG XGS58K

Platform Height 56.6 m
Max. Working Range 24.4 m
Platform Capacity 230/450 kg (Limited)
Platform size 2.4m x 0.9m x 1.15m

Key Features

Rotation angle of turntable 360 degrees continuous. Min. Turning Radius (outside) 7.6 m (Axle retracted).





New Equipment List

XCMG FORKLIFTS



2.5-tonne Forklift

XCMG FD25T

Max. Lift Capacity 2267 kg
Max. Lifting Height 2.99 m
Load Centre 0.5 m
Forks width | length 0.12 m | 1.07 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



3.5-tonne Forklift

XCMG FD35T

Maximum Lift Capacity 3500 kg
Maximum Lifting Height 7 m
Load Centre 0.5 m
Forks width | length 0.12 m | 1.07 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



5-tonne Forklift

XCMG FD50T

Max. Lift Capacity 5000 kg
Max. Lifting Height 7 m
Load Centre 0.5 m
Forks width | length 0.15 m | 1.22 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



7-tonne Forklift

XCMG FD70T

Maximum Lift Capacity 7000 kg
Maximum Lifting Height 4.43 m
Load Centre 0.5 m
Forks width | length 0.15 m | 1.22 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



2-tonne Forklift

XCMG FGL25T - Dual Fuel Container

Max. Lift Capacity 1800 kg
Max. Lifting Height 3 m
Forks width | length 0.15 m | 1.22 m

Key Features

2.5-tonne Dual Fuel Container Mast Fork Lift. Automatic (Hydraulic) transmission, Solid tyres, Suspension seat.



5-tonne Forklift

XCMG FGL50T - Dual Fuel Container

Maximum Lift Capacity 5000 kg
Maximum Lifting Height 6 m
Load Centre 0.5 m
Forks width | length 0.15 m | 1.07 m

Key Features

5-tonne Dual Fuel Container Mast Fork Lift. Automatic (Hydraulic) transmission.



2.5-tonne Forklift

XCMG XCB25 - Lithium

Max. Lift Capacity 2500 kg
Max. Lifting Height 3 m
Load Centre 0.5 m

Key Features

Lithium battery/lead acid,
Operating Weight 1000 kg.



3.5-tonne Forklift

XCMG XCB35 - Lithium

Maximum Lift Capacity 3500 kg
Maximum Lifting Height 3 m
Load Centre 0.5 m

Key Features

Lithium battery/lead acid,
Operating Weight 1000 kg.





New Equipment List

XCMG FORKLIFTS



16-tonne Forklift

XCMG XCF1612E- Electric

Maximum Lift Capacity 16000 kg
Maximum Lifting Height 4 m
Load Centre 1.2 m
Forks width | length 0.2 m | 2.44 m

Key Features

CATL lithium iron phosphate battery.
Maximum power 235kW. Rear axle full hydraulic steering.



16-tonne Forklift

XCMG XCF1606K - Counter-balanced Forklift

Maximum Lift Capacity 16000 kg
Maximum Lifting Height 3 m
Load Centre 1.2 m
Forks width | length 0.2 m | 1.37 m

Key Features

It can handle steel coils, bulk materials, concrete, logs, 20' containers and more.



16-tonne Forklift

XCMG XCF1612KII

Maximum Lift Capacity 16000 kg
Maximum Lifting Height 4 m
Load Centre 1.2 m
Forks width | length 0.3 m | 2.44 m

Key Features

Engine QSB6.7, Rear axle full hydraulic steering.
Energy-efficient, ergonomic design.



32-tonne Forklift

XCMG XCF3212K

Maximum Lift Capacity 32000 kg
Maximum Lifting Height 4 m
Load Centre 1.2 m
Forks width | length 0.3 m | 2.44 m

Key Features

Engine QSL8.9, Rear axle full hydraulic steering.
Energy-efficient, ergonomic design.



45-tonne Reach Stacker

XCMG XCS4531K

Maximum Lift Capacity 45000 kg
Maximum Lifting Height 15.37 m
Side Shift 0.8 m

Key Features

XCMG spreader is suitable for handling 20' and 40' standard containers. LMT, anti-tilting protection device for rear axle.



10-tonne Empty Container Handler

XCMG XCH1008K

Maximum Lift Capacity 10000 kg
Maximum Height 21.78 m
Side Shift 0.6 m

Key Features

Dynamic load protection technology makes the travelling speed be limited according to machine load.



45-tonne Reach Stacker

XCMG XCS4531E3 - Electric

Maximum Lift Capacity 45000 kg
Maximum Lifting Height 15.37 m
Side Shift 0.8 m

Key Features

Ergonomic cab, powerful electric engine which guarantees high lifting speed of 420 / 250 mm /sec. Power battery pack voltage 656V / capacity 595 km/h





New Equipment List

XCMG TELEHANDLERS



4-tonne Telehandler

XCMG XT4018KH

Max. Lift Capacity 4000 kg

Max. Lifting Height 17.55 m

Max. Engine Power 72 kW

Key Features

Impressive reach and lifting performance. Its four-section telescopic boom, three steering modes and $\pm 10^\circ$ frame levelling system provide excellent versatility, stability and load control across uneven terrain.



CONTACT OUR TEAM

We are available to take your call 24 hours a day, 7 days a week.



Jacinta O'Brien
Account Manager

☎ 0448 129 304
@ jpickering@brooksaccess.com.au



Luke Johnston
Service Manager

☎ 0457 657 535
@ ljohnston@brooksaccess.com.au



Katie Usher
Senior Hire Coordinator

☎ 0497 266 702
@ kusher@brooksaccess.com.au



Kaitlyn Moore
Hire Coordinator

☎ 8 6258 9830
@ kmoore@brooksaccess.com.au



Indiah Hayes
Service Coordinator

☎ 8 6258 9830
@ ihayes@brooksaccess.com.au




Hire Administrator


☎ 8 6258 9830
@ agilchrist@brooksaccess.com.au



Blake Hedley
Leading Hand



Arnel Calvadores
Field Service
Mechanic



☎ **1300 BROOKS** (1300 276 657)
@ sales@brooksaccess.com.au
🌐 **www.brooksaccess.com.au**