

BROOKS HIRE

"Better Being With Brooks"



EQUIPMENT HIRE LIST

☎ 1300 BROOKS

(1300 276 657)

sales@brookshire.com.au

www.brookshire.com.au

ISO 14001
BUREAU VERITAS
Certification



AS/NZS 4801
BUREAU VERITAS
Certification



ISO 9001
BUREAU VERITAS
Certification



WHO ARE BROOKS HIRE?

BROOKS HIRE

1300 276 657

sales@brookshire.com.au

www.brookshire.com.au

Brooks Hire specialise in the supply of earth-moving equipment to the civil construction and mining industries.

With 40 years of experience in the hire industry, Brooks Hire Service is the preferred supplier to some of Australia's biggest contracts. Through many years of strong business growth, we have developed the stability that allows us to purchase new machines for our customers as they need them. We have every confidence that we will be able to deliver reliable equipment with the 'no fuss' service that you require for your project.



WHAT CAN WE OFFER YOUR BUSINESS?



■ RELIABILITY & QUALITY ASSURANCE

- ISO & Australian Standards in Quality, Health & Safety, and Environmental Management.
- Members of the Hire & Rental Industry Assoc, Civil Contractors Federation, APGA & more.
- Strong cash flow with the buying power to purchase new machines as they're required.

■ INDUSTRY SPECIFIC MACHINERY

- Servicing the Civil, Construction, Mining, Pipeline, Demolition and Road & Rail, sectors.
- Ability to purchase new machines made to any minesite specification.
- Modern fleet of machinery serviced and maintained in line with OEM guidelines.

■ TRANSPORT & DELIVERY

- Delivery can be facilitated to any jobsite in Australia.
- Our own fleet of modern low loaders are available for machine mobilisation.
- Large network of transport providers ready to deliver and collect machinery.

■ SERVICE & PARTS

- Qualified Heavy Diesel Mechanics at every branch, available to travel to your jobsite.
- Team of specialist Parts Interpreters with a huge range of spare parts kept in store.
- Exclusive deal with Komatsu offering Brooks clients a 7% discount on Komatsu parts.

Equipment Hire List

BROOKS HIRE

1300 276 657
sales@brookshire.com.au
www.brookshire.com.au



Front End Loaders

CATEGORY	MAKE	MODEL	ENGINE	WEIGHT
1.5m ³	Komatsu	WA150	74 kW 99 HP @ 2000 rpm	7.5 Tonne
2.1m ³	Caterpillar	930K	110 kW @ 1600 rpm	13 Tonne
2.5m ³	Komatsu	WA250	124 kW 166 HP @ 2000 rpm	14 Tonne
3.1m ³	Komatsu	WA320	124 kW 166 HP @ 2000 rpm	14 Tonne
3.5m ³	Komatsu	WA380	140 kW 187 HP @ 2000 rpm	16 Tonne
3.75m ³ - 4m ³	Komatsu	WA430	173 kW / 232 HP @ 2.100 rpm	18 Tonne
3.4m ³	Caterpillar	950M	187 kW 250 HP	20 Tonne
3.6m ³	Caterpillar	962M	185 kW 248 HP	20 Tonne
4m ³ - 5m ³	Komatsu	WA470	204 kW / 274 HP @ 2.000 rpm	23 Tonne
5m ³	Komatsu	WA480	223 kW / 299 HP	25 Tonne
4m ³ - 5m ³	Volvo	L150G	210 kW / 1400 rpm	25 Tonne
4.7m ³ - 6.4m ³	Komatsu	WA500	266 kW / 357 HP @ 1900 rpm	32 Tonne
5.6m ³	Caterpillar	980M	278 kW	30 Tonne
5.6m ³	Caterpillar	982M	278 kW @ 1800 rpm	35 Tonne
5.6m ³	Hitachi	ZW370	289kW @ 1800 rpm	35 Tonne
6.4m ³	Caterpillar	988K	403 kW	51 Tonne
6.4m ³	Komatsu	WA600	395 kW / 529 HP @ 1800 rpm	55 Tonne
7m ³	Volvo	L260H	309 kW / 420 HP	34 Tonne
13m ³	Komatsu	WA900	638 kW / 856 HP	107 Tonne



Tool Carriers

CATEGORY	MAKE	MODEL	ENGINE	WEIGHT
2.2m ³ - 2.3m ³	Komatsu	WA250PT	104 kW 140 HP / 2000 rpm	10 Tonne
2.2m ³ - 2.3m ³	Komatsu	WA250PZ	103 kW 138 HP @ 2000 rpm	12 Tonne
1.9m ³ - 2.7m ³	Komatsu	WA270	111 kW 149 HP @ 2000 rpm	13 Tonne
2.5m ³ - 2.7m ³	Komatsu	WA320-8	123 kW/165 HP @ 2100 rpm	15 Tonne
2.5m ³ - 2.7m ³	Komatsu	WA320PZ-6	125 kW / 167 HP	15 Tonne
2.5m ³ - 2.7m ³	Volvo	L90F	129 kW @ 1700 rpm	16 Tonne
3m ³	Volvo	L110F	170 kW @ 1700 rpm	19 Tonne
3.1m ³	Hitachi	ZW180-5	126 kW @ 1500 rpm	14.5 Tonne
3.5m ³	Volvo	L120F	180 kW @ 1700 rpm	20 Tonne
4.2m ³	Volvo	L150F	209 kW @ 1400 rpm	23 Tonne
4.4m ³	Volvo	L180F	234 kW @ 1400 rpm	26.6 Tonne
5.2m ³	Volvo	L220H	279 kW 379 HP @ 1400 rpm	32.8 Tonne



Excavators

BROOKS HIRE

1300 276 657

sales@brookshire.com.au

www.brookshire.com.au

CATEGORY	MAKE	MODEL	ENGINE	BUCKET CAPACITY
1.5 Tonne	Komatsu	PC14R	11,6 kW / 15,6 HP @ 2.600 rpm	0.03m ³
1.8 Tonne	Caterpillar	301.8	16.1kW / 19.2 HP @ 2,400 rpm	0.033m ³
2.26 Tonne	Caterpillar	302	15.7kW / 21 HP @ 2,400 rpm	0.054m ³
3 Tonne	Komatsu	PC30MR	22,0 kW / 29,5 HP @ 2.400 rpm	0.09m ³
3 Tonne	Hitachi	ZX33	21.2 kW (28.4 HP)	0.09m ³
5 Tonne	Komatsu	PC55MR	29.1 kW 39 HP/2400 rpm	0.15m ³
5 Tonne	Komatsu	PC45MR	29.1 kW 39 HP/2400 rpm	0.15m ³
5 Tonne	Komatsu	PC40MR	29.4 kW 39.4 HP/2350 rpm	0.15m ³
5.4 Tonne	Sany	SY50U	29.1 kW @ 2400 rpm	0.15m ³
8 Tonne	Komatsu	PC78MR	40,5 kW / 54 HP @ 1.850 rpm	0.28m ³
8.5 Tonne	Komatsu	PC88MR	50.7 kW 68 HP @ 1950 rpm	0.34m ³
9 Tonne	Caterpillar	308CR	52.4kW / 70.3 HP @ 2,200 rpm	0.23m ³
13.8 Tonne	Sany	SY135C	73 kW @ 2000 rpm	0.56m ³
14 Tonne	Komatsu	PC138US	72.1 kW / 96.6 HP @ 2200 rpm	0.53m ³
14 Tonne	Komatsu	PC160LC	90 kW / 121 HP @ 2200 rpm	0.6m ³
14 Tonne	Hyundai	R140LC	84 kW / 113 HP @ 2,100 rpm	0.6m ³
16 Tonne	Hitachi	ZX160LC	90.2 kW / 122 HP @ 2,200 rpm	0.73m ³
22 Tonne Zero Swing	Komatsu	PC228US	116 kW 155 HP @ 2000 rpm	1.0m ³
22 Tonne	Caterpillar	320GC	107 kW (143 hp)	1.0m ³
22 Tonne	Caterpillar	320DL	103 kW / 140 HP @ 1800 rpm	1.3m ³
22 Tonne	Hitachi	ZX210H	122 kW (164 HP)	1.00m ³
22 Tonne	Komatsu	PC200LC	110 kW 147 HP / 2000 rpm	1.2m ³
22 Tonne	Komatsu	PC210LCi	118 kW / 158 HP @ 2000 rpm	0.97m ³
22 Tonne	Komatsu	PC210LC	116 kW / 156 HP @ 2000 rpm	1.68m ³
22 Tonne	Komatsu	HB215LC	110 kW / 148 HP @ 2000 rpm	1.36m ³
23 Tonne	Komatsu	PC220LC	110 kW 147 HP / 2000 rpm	1.26m ³
23 Tonne	Hitachi	ZX225USLC	159 hp (118 kW) @ 2,000 rpm	1.09m ³
30 Tonne	Volvo	EC290CLC	153 kW (205 hp)	1.2m ³
30 Tonne	Komatsu	PC270LC	149 kW 200 HP / 2050 rpm	1.25m ³
33 Tonne	Hitachi	ZX330	247 HP (180 kW)	1.4m ³
33 Tonne	Hitachi	ZX350H	184 kW (246 HP)	2.00m ³
34 Tonne	Komatsu	PC300LC	194 kW 260 HP / 1950 rpm	1.8m ³
35 Tonne	Hitachi	ZX350LC	202 kW / 271 HP	2.1m ³
36 Tonne	Sany	SY365H	212 kW @ 2000 rpm	1.5m ³
36 Tonne	Komatsu	PC360LCi	192 kW / 257 HP @ 1950 rpm	1.96m ³
36 Tonne	Komatsu	PC350LC	194 kW / 260 HP @ 1950 rpm	2.66m ³
37 Tonne	Caterpillar	336	232 kW	2.27m ³
45 Tonne	Komatsu	PC450LC	270 kW / 362 HP @ 1900 rpm	2.8m ³
50 Tonne	Sany	SY500H	298 kW @ 2100 rpm	5m ³
60 Tonne	Komatsu	PC600LC	288 kW 386 HP @ 1800 rpm	3.81m ³
80 Tonne	Komatsu	PC850-8E0SE	370 kW 496 HP / 1800 rpm	4.3m ³
85 Tonne	Komatsu	PC800LC	363 kW 487 HP @ 1800 rpm	4.5m ³



Graders

BROOKS HIRE

1300 276 657

sales@brookshire.com.au

www.brookshire.com.au

CATEGORY	MAKE	MODEL	ENGINE	WEIGHT
12' Motor Grader	Caterpillar	120M	103 kW / 138 HP @ 2000rpm	14.5 Tonne
12' Motor Grader	Komatsu	GD555	146kW 196 HP @ 2000 rpm	18 Tonne
14' Motor Grader	Caterpillar	140M	136 kW 183 HP	18.4 Tonne
14' Motor Grader	Caterpillar	140M AWD	136 kW 183 HP	18.4 Tonne
14' Motor Grader	Caterpillar	140H	136 kW 183 HP	18.4 Tonne
14' Motor Grader	Caterpillar	140G	136 kW 183 HP	18.4 Tonne
14' Motor Grader	Caterpillar	150 AWD	159 kW 213 HP	19.8 Tonne
14' Motor Grader	Komatsu	GD655	165kW 221 HP @ 2100 rpm	18.5 Tonne
14' Motor Grader	John Deere	770G	190 kW	19.3 Tonne
14' Motor Grader	John Deere	672G	190 kW	20 Tonne
14' Motor Grader	John Deere	772GP	205 kW	20.5 Tonne
16' Motor Grader	John Deere	872GP	224 kW	21.6 Tonne
16' Motor Grader	Caterpillar	16MQLR	217 kW 291 HP	30 Tonne
24' Motor Grader	Caterpillar	24	399-518 kW (535 - 694 HP)	73 Tonne



Dozers

CATEGORY	MAKE	MODEL	ENGINE	FRONT BLADE WIDTH
17.3 Tonne	Caterpillar	D6N	112 kW	4080mm
17.7 Tonne	Caterpillar	D6H	179 HP	4486mm
21 Tonne	Caterpillar	D6T XL	154 kW 207 HP	3693mm
21 Tonne	Caterpillar	D6T LGP	154 kW	3693mm
27 Tonne	Caterpillar	D7	179 kW 240 HP	3988mm
39.4 Tonne	Caterpillar	D8	233 kW 312 HP	5045mm
70 Tonne	Caterpillar	D10T	447/538 kW 600/722HP	7416mm



Dump Trucks

CATEGORY	PAYLOAD	MAKE	MODEL	ENGINE
Site Dumper	9 Tonne	Wacker Neuson	DV90	55.4 kW / 75.3 HP @ 2300 rpm
Articulated Dump Truck	30 Tonne	Komatsu	HM300	254 kW 340 HP @ 2000 rpm
Articulated Dump Truck	37 Tonne	Hitachi	AH400D	308 kW 413 HP
Articulated Dump Truck	40 Tonne	Komatsu	HM400	254 kW 340 HP @ 2000 rpm
Articulated Dump Truck	41 Tonne	Caterpillar	745	376 kW 504 HP



Water Trucks

BROOKS HIRE

1300 276 657
sales@brookshire.com.au
www.brookshire.com.au

CATEGORY	CAPACITY	MAKE	MODEL	POWER
Rigid	14,000 L	Isuzu	FVZ 260-300	221 kW @ 2,400 rpm
Rigid	14,000 L	Hino	500	280hp/206kW
Rigid	15,000 L	Isuzu	FVZ 260-300	221 kW @ 2,400 rpm
Rigid	15,000 L	Hino	500	280hp/206kW
Rigid	15,000 L	Mercedes Benz	Axor	205 kW/279 hp at 2 300 rpm
Rigid	20,000 L	Isuzu	FYH 2000 8x4	257 kW @ 2,000 rpm
Rigid	20,000 L	Iveco	Trakker AD450 6x6	450hp/336kw @ 1900rpm
Articulated	16,000 L	JCB	Fastrac 185/65	188 hp / 142 kW / 2400rpm
Articulated	16,000 L	Chamberlain	C6100	101 hp / 75.3 kW / 2200rpm
Articulated	16,000 L	Mercedes Benz	MB Trac	125 hp / 93.2 kW / 2600rpm
Articulated	26,000 L	Komatsu	HM300	254 kW 340 HP
Articulated	35,000 L	Komatsu	HM400	254 kW 340 HP



Service Trucks, Fuel Trucks & Tipper Trucks

CATEGORY	CAPACITY	MAKE	MODEL	POWER
Service Truck	8 Compartments	Isuzu	FVZ 260 - 300	221 kW @ 2,400 rpm
Service Truck	8 Compartments	Hino	500	280hp/206kW
Fuel Trailer	1,400 L	-	-	-
Fuel Trailer	2,000 L	-	-	-
Fuel Truck	14,000 L	Hino	500	280hp/206kW
Tipper Truck	11m ³	Isuzu	FVZ 260-300	221 kW @ 2,400 rpm
Tipper Truck	11m ³	Hino	500	280hp/206kW
Tipper Truck	11m ³	Isuzu	FVZ 1400	221 kW @ 2,400 rpm
Side Tipper	21m ³	Howard Porter	-	-
Side Tipper	24m ³	Road West	-	-



Backhoes

CATEGORY	MAKE	MODEL	ENGINE	WEIGHT
4.32m Dig Depth	JCB	4CX	81 kW / 1300rpm	8.178 Tonne
4.8m Dig Depth	Komatsu	WB97R-5E0	74 kW	7.6 Tonne
4.883m Dig Depth	Caterpillar	432E	67 kW / 2200rpm	9.1 Tonne
6.14m Dig Depth	JCB	5CX	74.2 kW / 100 hp	10.6 Tonne



Skid Steer Loaders

BROOKS HIRE

1300 276 657
sales@brookshire.com.au
www.brookshire.com.au

CATEGORY	MAKE	MODEL	OPERATING WEIGHT	TIPPING LOAD (35%)
Tracked	Bobcat	T140SJC	3.021 Tonne	635 kg
Tracked	Caterpillar	239D	3.372 Tonne	695 kg
Tracked	Caterpillar	249D	3.552 Tonne	790 kg
Tracked	Caterpillar	259D	4.076 Tonne	915 kg
Wheeled	Komatsu	SK714	2.53 Tonne	650 kg
Wheeled	Caterpillar	226B	2.641 Tonne	680 kg
Wheeled	Caterpillar	246C	3.348 Tonne	975 kg



Rollers

BROOKS HIRE

1300 276 657
sales@brookshire.com.au
www.brookshire.com.au

CATEGORY	WEIGHT	MAKE	MODEL
Smooth Drum	7 Tonne	Bomag	BW177DH
Smooth Drum	11 Tonne	Dynapac	CA252D
Smooth Drum	11 Tonne	Bomag	BW212D
Smooth Drum	12 Tonne	Hamm	3412 HT VIO
Smooth Drum	12 Tonne	Caterpillar	CS64B
Smooth Drum	12 Tonne	Bomag	BW213D
Smooth Drum	12.5 Tonne	Caterpillar	CS56B
Smooth Drum	12.7 Tonne	Dynapac	CA302D
Smooth Drum	13.2 Tonne	Dynapac	CA362D
Smooth Drum	12.6 Tonne	Bomag	BW213D
Smooth Drum	15.7 Tonne	Hamm	3516
Smooth Drum	16 Tonne	Caterpillar	CS74B
Smooth Drum	16 Tonne	Caterpillar	CP76B
Smooth Drum	16.1 Tonne	Bomag	BW216D
Smooth Drum	17.89 Tonne	Hamm	3518
Smooth Drum	18.7 Tonne	Caterpillar	CS78B
Smooth Drum	19.3 Tonne	Dynapac	CA6000D
Smooth Drum	19.8 Tonne	Hamm	3520
Smooth Drum	20 Tonne	Caterpillar	CS79B
Padfoot	12 Tonne	Caterpillar	CS12 GC
Padfoot	12 Tonne	Caterpillar	CS56B
Padfoot	12 Tonne	Bomag	BW211D
Padfoot	12.6 Tonne	Bomag	BW213D
Padfoot	13.2 Tonne	Dynapac	CA362D
Padfoot	15.7 Tonne	Hamm	3516P
Padfoot	16.1 Tonne	Bomag	BW216PD
Padfoot	17.6 Tonne	Caterpillar	CP76B
Padfoot	17.89 Tonne	Hamm	3518P
Padfoot	18 Tonne	Dynapac	CA6000PD
Padfoot	18.6 Tonne	Dynapac	CA602PD
Padfoot	19.4 Tonne	Bomag	BW219PD
Padfoot	19.8 Tonne	Hamm	3520P
Multi Tyre	18 Tonne	Hamm	HP280
Multi Tyre	18 Tonne	Caterpillar	CW34
Multi Tyre	18.3 Tonne	Hamm	GRW280
Multi Tyre	20 Tonne	Ammann	AP240
Multi Tyre	20 Tonne	Bomag	BW24RH

CATEGORY	WEIGHT	MAKE	MODEL
Multi Tyre	20 Tonne	Bomag	BW25RH
Multi Tyre	24 Tonne	Caterpillar	CW34LRC
Double Drum	2.6 Tonne	Hamm	HD12VV
Double Drum	2.8 Tonne	Bomag	BW120AD
3 Pin Static	14 Tonne	Aveling Barford	DC014
Trench Roller	1,675 Kg	Husqvarna	LP9505



Generators

POWER	OUTPUT	RUN TIME	WEIGHT
10 kVA	8 kW	35 hours	700 kg
20 kVA	16 kW	18 hours	726 kg
45 kVA	36 kW	12 hours	1085 kg
60 kVA	48 kW	10 hours	1110 kg
80 kVA	64 kW	11 hours	1403 kg
100 kVA	80 kW	14 hours	1685 kg
150 kVA	120 kW	9 hours	2000 kg
200 kVA	160 kW	10 hours	2440 kg
255 kVA	204 kW	9 hours	2600 kg
300 kVA	240 kW	7 hours	3068 kg
350 kVA	280 kW	11 hours	4439 kg
400 kVA	320 kW	9 hours	4400 kg
450 kVA	360 kW	9 hours	4597 kg
500 kVA	400 kW	8 hours	4800 kg
600 kVA	480 kW	11 hours	5970 kg
670 kVA	536 kW	10 hours	5970 kg
750 kVA	600 kW	3 hours	9200 kg
800 kVA	640 kW	3 hours	10000 kg
910 kVA	728 kW	3 hours	11600 kg
1035 kVA	828 kW	2 hours	11680 kg
1253 kVA	1002 kW	2 hours	14100 kg
1505 kVA	1204 kW	2 hours	14050 kg
1705 kVA	1364 kW	1 hours	15500 kg
2000 kVA	1600 kW	1 hours	16000 kg

*All Generators under 100 kVA are available on trailers.



Diesel Pumps High head

INLET SIZE	OUTLET SIZE	Q MAX	MAX HEAD
100 mm	80 mm	42 L/sec	92 m
150 mm	100 mm	117 L/sec	101 m
200 mm	150 mm	167 L/sec	101 m
250 mm	200 mm	408 L/sec	109 m



Diesel Pumps Surface dewatering

SIZE	Q MAX	MAX HEAD
80 mm	45 L/sec	19 m open and silent option
100 mm	69 L/sec	36 m open and silent option
100 mm	77 L/sec	50 m open and silent option
150 mm	150 L/sec	37 m open and silent option
150 mm	141 L/sec	51 m open and silent option
All Pumps under 150 mm size are available on trailers		
200 mm	175 L/sec	30 m open and silent option
200 mm	236 L/sec	50 m open and silent option
300 mm	313 L/sec	29.5 m open and silent option
300 mm	600 L/sec	71 m open and silent option




Submersible Pumps

TYPE POWER	SIZE	Q MAX	MAX HEAD
Dewatering 1 kW	50 mm	10 L/sec	16 m
Dewatering 2 kW	75 mm	14 L/sec	24 m
Dewatering 3.4 kW	75 mm	23 L/sec	23 m
Dewatering 6.6 kW	75 mm	20 L/sec	38 m
Dewatering 8.8 kW	75 mm	28 L/sec	40 m
Dewatering 6.6 kW	100 mm	37 L/sec	25 m
Dewatering 8.8 kW	100 mm	45 L/sec	30 m
Dewatering 14 kW	100 mm	20 L/sec	65 m
Dewatering 22 kW	100 mm	40 L/sec	65 m
Dewatering 30 kW	100 mm	40 L/sec	86 m
Dewatering 22 kW	150 mm	95 L/sec	40 m
Sludge 3.7 kW	75 mm	20 L/sec	13 m
Sludge 9 kW	100 mm	28 L/sec	23 m
Sludge 11 kW	100 mm	42 L/sec	24 m
Sludge 15 kW	100 mm	22 L/sec	27 m
Sludge 37 kW	100 mm	80 L/sec	50 m
Sludge 45 kW	150 mm	124 L/sec	30 m
Sludge 75 kW	150 mm	155 L/sec	48 m
Slurry 3.1 kW	75 mm	15 L/sec	15 m
Slurry 5.7 kW	100 mm	25 L/sec	23 m
Slurry 8 kW	100 mm	28 L/sec	25 m



Compressors

TYPE	AIR FLOW	DRY WEIGHT	PRESSURE
Trailer	127 cfm	700 kg	7 bar
Trailer	176.5 cfm	800 kg	7 bar
Skid	185 cfm	950 kg	7 bar
Trailer	251 cfm	1400	
Skid	400 cfm	1920 kg	10 bar
Trailer	423 cfm	2000 kg	7 bar
Trailer	530 cfm	2600 kg	10 bar
Trailer	893 cfm	3700 kg	8 bar
Trailer	938 cfm	5300 kg	12 bar
Trailer	1020 cfm	5300 kg	10.3 bar
Trailer	1102 cfm	5300 kg	8.6 bar



Pump Accessories

DN150 Standpipe | clearance 4.2m

DN150 Standpipe | clearance 4.8m

DN150 Standpipe | clearance 5.2m

DN150 Standpipe | clearance 5.8m

DN150 Standpipe | clearance 6.5m

DN150 Standpipe | clearance 8.6m

DN200 Standpipe | clearance 4.2m

DN200 Standpipe | clearance 4.8m

DN200 Standpipe | clearance 5.2m

DN200 Standpipe | clearance 5.8m

DN200 Standpipe | clearance 6.5m

DN200 Standpipe | clearance 8.6m

Hose & Cable Floats

HDPE pipe

Pontoons

Flow Meters

Suction Hose

Discharge Hose

Remote Monitoring

Materials and Parts can be supplied at cost price + 20%



Lighting Towers diesel & solar

LAMP POWER	ILLUMINATED AREA	RUNNING TIME
1800 W	5000 / 500 m ²	100 hours
4 x 320 W	4500 / 4200 m ²	143 hours
4 x 320 W	5000 m ²	218 hours
4 x 350 W	5000 m ² @ 20 Lux	220 hours
4 x 350 W	5.4 lm / m ² @ 28.328 m ²	150 hours
6 x 350 W	315,000	145 hours
6 solar x 100 W	65,000	56 hours
2 solar x 100 W	14,000	35 hours



Power Accessories

TYPE	SIZE	OUTLET
Distribution Board	32 amp	8 x 240V 15A 1 x 415V 20A 1 x 415V 32A
Distribution Board	63 amp	10 x 240V 15A 2 x 415V 20A 2 x 415V 32A
Distribution Board	125 amp	8 x 240V 15A 2 x 415V 32A
Power Cables	20 amp	cable length can be customised
Power Cables	32 amp	cable length can be customised
Power Cables	63 amp	cable length can be customised
Power Cables	100 amp	cable length can be customised
Power Cables	Hardwire	cable length can be customised
Load Banks	100 - 500 kW	in all application

Control Panels, Soft Starters & Variable Speed Drivers are available



Mobile Fuel Supply

TYPE	SIZE	COMMENTS
Fuel Tank	1000 L	Double bunded, multiple fuel connections
Trailer Mounted	1000 L	Double bunded, multiple fuel connections
Fuel Tank	2000 L	Double bunded, multiple fuel connections
Fuel Tank	4000 L	Double bunded, multiple fuel connections
Fuel Tank	10000 L	Double bunded, multiple fuel connections
Trailer Mounted	2000 L	Double bunded, multiple fuel connections

Plant trailers, Tandem trailers, Cage trailers, Pressure washer trailers & Fire fighter trailers are also available for hire.



Plate Compactors

WEIGHT	CENTRIFUGAL FORCE	POWER
53 kg	8 kN	2.1 kW
67 kg	10 kN	2.1 kW
80 kg	19 kN	3.6 kW
84 kg	19 kN	3.6 kW
95 kg	15 kN	3.6 kW
109 kg	17 kN	3.6 kW
185 kg	28 kN	3.1 kW
244 kg	36 kN	3.1 kW
307 kg	40 kN	4.7 kW
436 kg	52 kN	6.2 kW
500 kg	65 kN	9.1 kW
780 kg	95 kN	11 kW
820 kg	95 kN	11 kW



Tampers

WEIGHT	FREQUENCY	POWER
62 kg	12 Hz	2.7 kW
70 kg	12 Hz	2.7 kW
98 kg	12 Hz	3 kW



Double Drum Rollers

WEIGHT	FREQUENCY	POWER
765 kg	58 Hz	6.8 kW
981 kg	57 Hz	7.9 kW
1675 kg / trench	42 Hz	18.1 kW



Portable Buildings

TYPE	COMMENTS
Modified containers	6.09 m & 12.19 m options, fully furnished
Portable site offices	8.6m x 2.5m x 3.45m, fully furnished



Light Vehicle hire

TYPE	ENGINE POWER	TANK CAPACITY
4 x 4 Ute Diesel	140 kW @ 3600 rpm	138 L
MINI VAN 12 pax	130 kW @ 3600 rpm	75 L




Bulk Water Storage

BRAND	SIZE	COMMENTS
Break Tanks	10 - 60 KL	Fitted with stair & gantry system
Water Storage	10 - 56 KL	Can be modified to suit any application



Dust Fighters

COVERED AREA	WEIGHT	ENGINE POWER
2590 m ²	290 kg	4 kW
4800 m ²	760 kg	7.5 kW
7190 m ²	810 kg	15 kW
10355 m ²	850 kg	20 kW
20000 m ²	1410 kg	45 kW
13200 m ²	3375 kg	108 kW
1170 m ²	840 kg	2.2 kW
4600 m ²	2450 kg	7.5 kW



Traffic Signs

TYPE	COMMENTS
Message Sign	Type-A 5 Colour LED VMS
Traffic Lights	Portable Traffic Light Trailer (Set)

Solar CCTV and remote monitoring stations are also available for hire.



Articulated Boom Lifts

BROOKS HIRE

1300 276 657

sales@brookshire.com.au

www.brookshire.com.au

HEIGHT	MAKE	MODEL	CATEGORY	PLATFORM CAPACITY
34 ft	Genie	Z34 / 22 IC	Rough Terrain	227 kg (unrestricted)
34 ft	JLG	340AJ	Diesel	230 kg (unrestricted)
34 ft	JLG	H340AJ	Hybrid	230 kg (unrestricted)
45 ft	JLG	450AJ	Diesel	250 kg (unrestricted)
45 ft	Genie	Z-45 XC Extra Capacity	Rough Terrain	300 kg (unrestricted)
51 ft	Genie	Z-51 / 30J RT	Rough Terrain	227 kg (unrestricted)
62 ft	Genie	Z-62 / 40	Rough Terrain	227 kg (unrestricted)
80 ft	Genie	Z-80 / 60	Rough Terrain	227 kg (unrestricted)
80 ft	Haulotte	HA26 RTJ PRO	Diesel	250 kg (unrestricted)
80 ft	JLG	800 AJ	Diesel	230 kg (unrestricted)
80 ft	JLG	800AJ HC3 High Capacity	Diesel	300 kg (unrestricted)
80 ft	JLG	H800 AJ	Hybrid	230 kg (unrestricted)
125 ft	JLG	1250AJP	Diesel	230 kg (unrestricted)
135 ft	Genie	ZX-135 / 70	Rough Terrain	272 kg (unrestricted)



Scissor Lifts

HEIGHT	MAKE	MODEL	CATEGORY	PLATFORM CAPACITY
19 ft	Genie	GS1932	Electric	227 kg (unrestricted)
19 ft	JLG	ES1932	Electric	230 kg (unrestricted)
19 ft	JLG	R1932	Electric	230 kg (unrestricted)
26 ft	JLG	R2632	Electric	230 kg (unrestricted)
26 ft	Genie	GS-2632	Electric	227 kg (unrestricted)
26 ft	Genie	GS2669 RT	Rough Terrain	680 kg (unrestricted)
32 ft	JLG	ES 3246	Electric	320 kg (unrestricted)
32 ft	JLG	R 3246	Electric	320 kg (unrestricted)
33 ft	Snorkel	337 RT	Rough Terrain	454 kg (unrestricted)
33 ft	Genie	GS 3369 RT	Rough Terrain	454 kg (unrestricted)
40 ft	JLG	R 4045	Electric	350 kg (unrestricted)
40 ft	JLG	RT 4069	Diesel	363 kg (unrestricted)
40 ft	Genie	GS-4069 RT	Rough Terrain	363 kg (unrestricted)
43 ft	Genie	GS-4390 RT	Rough Terrain	680 kg (unrestricted)
47 ft	JLG	ERT 4769	Electric	363 kg (unrestricted)
53 ft	Genie	GS-5390 RT	Rough Terrain	680 kg (unrestricted)



Telescopic Boom Lifts

BROOKS HIRE

1300 276 657

sales@brookshire.com.au

www.brookshire.com.au

HEIGHT	MAKE	MODEL	CATEGORY	PLATFORM CAPACITY
45 ft	Genie	S-45 XC	Rough Terrain	300 kg (unrestricted)
65 ft	Genie	S-65 XC	Rough Terrain	300 kg (unrestricted)
85 ft	Genie	S-85 XC	Rough Terrain	300 kg (unrestricted)
125 ft	Genie	SX-125 XC	Rough Terrain	300 kg (unrestricted)
135 ft	Genie	SX-135 XC	Rough Terrain	300 kg (unrestricted)
150 ft	Genie	SX-150	Rough Terrain	340 kg (unrestricted)



Trailer-Mounted Boom Lifts

HEIGHT	MAKE	MODEL	CATEGORY	PLATFORM CAPACITY
34 ft	Genie	TZ-34/20	Trailer-mounted	227 kg (unrestricted)
50 ft	Genie	TZ-50	Trailer-mounted	200 kg (unrestricted)



Compact Crawler Booms

HEIGHT	MAKE	MODEL	CATEGORY	PLATFORM CAPACITY
43 ft	JLG	X13J PLUS	Electric	230 kg (unrestricted)
55 ft	JLG	X17J PLUS	Electric	230 kg (unrestricted)
65 ft	JLG	X20J PLUS	Electric	230 kg (unrestricted)



Vertical Mast Lifts

HEIGHT	MAKE	MODEL	CATEGORY	PLATFORM CAPACITY
15 ft	Genie	RUNABOUT GR-15	Electric	227 kg (unrestricted)
20 ft	Genie	RUNABOUT GR-20	Electric	149 kg (unrestricted)
15 ft	Genie	QUICKSTOCK QS-15	Electric	68 kg (unrestricted)
20 ft	Genie	QUICKSTOCK QS-20	Electric	68 kg (unrestricted)
12 ft	Genie	CONTRACTOR GRC-12	Electric	227 kg (unrestricted)
18 ft	JLG	1230 ES	Electric	230 kg (unrestricted)
26 ft	JLG	20 MVL	Electric	160 kg (unrestricted)
25 ft	JLG	25 AM	Push Around Electric	160 kg (unrestricted)
30 ft	JLG	30 AM	Push Around Electric	135 kg (unrestricted)
38 ft	JLG	38 AM	Push Around Electric	135 kg (unrestricted)



Telehandlers

BROOKS HIRE

1300 276 657

sales@brookshire.com.au

www.brookshire.com.au

LIFTING WEIGHT	MAKE	MODEL	ENGINE POWER	LIFTING HEIGHT
3 Tonne	JCB	531-70	81 kW	7000 mm
3.2 Tonne	Manitou	MT-X 732	70 kW	6900 mm
3.5 Tonne	JCB	535-95	81 kW	9500 mm
4.1 Tonne	JCB	541-70	81 kW	7000 mm
4 Tonne	Manitou	MT-X 1440	74.5 kW	13530 mm
4 Tonne	Manitou	MT-X 1840	75.3 kW	17600 mm
4.2 Tonne	Merlo	TF42.7-100	74 kW	7200 mm
6 Tonne	Merlo	P60.10EE	74 kW	9550 mm
7 Tonne	Dieci	Samson 70.10	93 kW	9500 mm
12 Tonne	Manitou	MHT 10120	129 kW	9620 mm



Forklifts

LIFTING HEIGHT	MAKE	MODEL	OPERATING WEIGHT	LOAD CENTRE
4100 mm	Hyster	H4.0FT	4 Tonne	523 mm
4100 mm	Hyster	H5.0FT	5 Tonne	600 mm
5336 mm	Hyster	H8.00XM	8 Tonne	600 mm
4100 mm	Crown	CD90S-D	9 Tonne	1200 mm
-	Hyster	H16.00XM	16 Tonne	1200 mm
4500 mm	Kalmar	DCG160-12	16 Tonne	1200 mm



Machine Attachments

BROOKS HIRE

1300 276 657
sales@brookshire.com.au
www.brookshire.com.au



GP Buckets

Available For:

Excavators
Tool Carriers
Skid Steer Loaders
Telehandlers
Backhoes



Batter Buckets

Available For:

Excavators
Telehandlers
Backhoes



Trenching Buckets

Available For:

Excavators
Backhoes



Screening Buckets

Available For:

Excavators



Skeleton Buckets

Available For:

Excavators
Skid Steer Loaders
Tool Carriers



Sieve Buckets

Available For:

Excavators



Tilting Buckets

Available For:

Excavators



Trapezoidal Bucket

Models Available:

Excavator



Bucket Broom

Available For:

Skid Steer Loaders



Stemming Bucket

Available For:

Tool Carriers



Trencher

Available For:

Skid Steer Loaders



Grain Bucket

Available For:

Tool Carriers



Machine Attachments

BROOKS HIRE

1300 276 657

sales@brookshire.com.au

www.brookshire.com.au



Rockbreakers

Available For:
Excavators



Augers

Available For:
Excavators
Skid Steer Loaders
Backhoes



Forks

Available For:
Skid Steer Loaders
Tool Carriers
Telehandlers
Backhoes



Jibs

Available For:
Tool Carriers
Telehandlers
Forklifts



Compaction Wheel

Available For:
Excavators



Grapples

Available For:
Excavators & Tool Carriers
GP, 360°, Hydraulic,
Rock, Log



Grab Attachments

Available For:
Excavators & Tool Carriers
Hydraulic, Mechanical,
Sleeper, Tyre



Tree Mulcher

Models Available:
Excavator



Rippers

Available For:
Excavators



Plate Compactors

Available For:
Excavators



Levelling Attachment

Available For:
Skid Steer Loaders



Man Cages

Available For:
Tool Carriers