

BROOKS

EQUIPMENT

☎ 1300 276 657

@ sales@brooksequipment.com.au

🌐 www.brooksequipment.com.au

Brooks Equipment Sales Pty Ltd ACN 646 171 217 as trustee for Brooks Equipment Sales Trust ABN 92 455 723 027



NEW EQUIPMENT FOR SALE

MINING ■ EARTHMOVING ■ CONSTRUCTION ■ ACCESS ■ FORKLIFTS ■ ROAD

Authorised Dealers for





PERTH

Brooks Hire & Brooks
Access Head Office
30 Coulson Way
Canning Vale WA 6155

Brooks Equipment
Head Office
39 - 43 Murray Road North
Welshpool WA 6106

Brooks Site Services
Head Office
25 Glassford Road
Kewdale WA 6105

SYDNEY
3 Glossop Street
St Marys NSW 2760

ORANGE
20 Cameron Place
Orange NSW 2800

NEWCASTLE
244 Old Maitland Road
Hexham NSW 2322

MELBOURNE
610 Geelong Road
Brooklyn VIC 3012

BRISBANE
2355 Ipswich Road
Oxley QLD 4075

ADELAIDE
525 South Road
Regency Park SA 5010

PORT AUGUSTA
70 Victoria Parade
Port Augusta SA 5700

DARWIN
402 Stuart Highway
Winnellie NT 0820

ALBANY
140 Chester Pass Road
Lange WA 6330

BUNBURY
3 Richter Road
Davenport WA 6230

GERALDTON
67-73 Flores Road
Webborton WA 6530

KALGOORLIE
2-4 Williams Street
West Kalgoorlie WA 6430

PORT HEDLAND
1 Manganese Street
Wedgefield WA 6721

NEWMAN
2 Bangkerbang Close
Newman WA 6753

KARRATHA
1 Coolawanyah Road
Karratha WA 6714

TOOWOOMBA
8575 Warrego Highway
Withcott QLD 4352

DALBY
172 Drayton Street
Dalby QLD 4405

GLADSTONE
1 Gladstone Benaraby Road
Gladstone Central QLD 4680

MACKAY
27 Barnes Creek Road
Cremorne QLD 4740

WHO ARE BROOKS EQUIPMENT?



Brooks Equipment is a part of Brooks Group Australia, an Australian family owned and operated business since 1979. With over 45 years experience in construction machinery, we've built a solid reputation of reliability and integrity.

We specialise in the sale of new and used construction equipment.

WHAT CAN WE OFFER YOU?



NEW EQUIPMENT

- Authorised dealers for XCMG, Husqvarna Construction, Italdem, Genmac and Euromacchine.
- We offer a vast range of mining and earthmoving equipment such as Excavators, Wheel Loaders, Rollers, Graders, Track Loaders and Haul Trucks, including access equipment such as Scissor Lifts, Forklifts, Boom Lifts and Telehandlers as well as Plate Compactors, Trench Rollers, Compressors, Rock Breakers, Light Towers, and Generators.

USED EQUIPMENT

- Large range of earthmoving equipment such as Excavators, Wheel Loaders, Tool Carriers, Dump Trucks, Graders, Smooth Drum Rollers, and Multi Tyre Rollers.
- Quality brands such as Caterpillar, Komatsu, Volvo, Hitachi, Hyundai, and Bomag.

SERVICE & PARTS

- Team of specialist Parts Interpreters with a huge range of spare parts kept in store.

TRANSPORT & DELIVERY

- 29 Branches Australia wide. Delivery can be facilitated to any jobsite in Australia.



New Equipment List

XCMG EXCAVATORS



XCMG XE17U

1.8 t Excavator - Rubber Tracked

- Operating Weight 1.8 t
- Boom Length 1.83 m
- Arm Digging Force 10 kN
- Max. Digging Reach 3.9 m
- Max. Digging Depth 2.29 m
- Engine Type Kubota D902
- Rated Power 11.8 kW/2300 rpm



XCMG XE19U

1.9 t Excavator - Rubber Tracked

- Operating Weight 1.9 t
- Boom Length 1.81 m
- Arm Digging Force 10 kN
- Max. Digging Reach 3.9 m
- Max. Digging Depth 2.29 m
- Engine Type Kubota D1105
- Engine Rated Power 15.4 kW/2400 rpm



XCMG XE27U

2.7 t Excavator - Rubber Tracked

- Operating Weight 2.7 t
- Boom Length 2.09 m
- Arm Digging Force 14 kN
- Max. Digging Reach 4.75 m
- Max. Digging Depth 2.8 m
- Engine Type Kubota D1105
- Engine Rated Power 15.4 kW/2400 rpm



XCMG XE35U

4.2 t Excavator - Rubber Tracked

- Operating Weight 4.2 t
- Boom Length 2.56 m
- Arm Digging Force 20.3 kN
- Max. Digging Reach 5.3 m
- Max. Digging Depth 3.06 m
- Engine Type Yanmar 3TNV88F
- Engine Rated Power 18.2 kW/2200 rpm



XCMG XE55U

5.7 t Excavator - Rubber Tracked

- Operating Weight 5.7 t
- Boom Length 2.85 m
- Arm Digging Force 24.3 kN
- Max. Digging Reach 6.11 m
- Max. Digging Depth 3.64 m
- Engine Type Kubota V2403
- Engine Rated Power 31.2 kW/2400 rpm



XCMG XE90U

9.5 t Excavator - Rubber Tracked

- Operating Weight 9.5 t
- Boom Length 3.4 m
- Arm Digging Force 41 kN
- Max. Digging Reach 6.85 m
- Max. Digging Depth 3.99 m
- Engine Type Kubota V3307CRTE5
- Engine Rated Power 54.6 kW/2200 rpm



XCMG XE155DK

14.6 t Excavator - Steel Tracked

- Operating Weight 14.6 t
- Boom Length 4.6 m
- Arm Digging Force 73.4 kN
- Max. Digging Reach 8.65 m
- Max. Digging Depth 5.54 m
- Engine Type Cummins QSF3.8
- Engine Rated Power 93 kW/2200 rpm



XCMG XE155UCR

16.6 t Excavator - Rubber Tracked

- Operating Weight 16.6 t
- Boom Length 4.6 m
- Arm Digging Force 80 kN
- Max. Digging Reach 8.29 m
- Max. Digging Depth 5.54 m
- Engine Type Cummins QSF3.8
- Engine Rated Power 93 kW/2200 rpm



New Equipment List

XCMG EXCAVATORS



XCMG XE215LC

22.9 t Excavator - Steel Tracked

- Operating Weight 22.9 t
- Boom Length 5.68 m
- Arm Digging Force 120 kN
- Max. Digging Reach 9.62 m
- Max. Digging Depth 6.68 m
- Engine Type Cummins QSB7
- Engine Rated Power 135 kW/2250 rpm



XCMG XE235UCR

26.1 t Excavator - Steel Tracked

- Operating Weight 26.1 t
- Boom Length 5.68 m
- Arm Digging Force 107.7 kN
- Max. Digging Reach 10.9 m
- Max. Digging Depth 6.65 m
- Engine Type Cummins QSB7
- Engine Rated Power 135 kW/2250 rpm



XCMG XE310LC

34 t Excavator - Steel Tracked

- Operating Weight 34 t
- Boom Length 6.15 m
- Arm Digging Force 103 kN
- Max. Digging Reach 10.35 m
- Max. Digging Depth 7.04 m
- Engine Type Cummins QSL9
- Engine Rated Power 202 kW/2100 rpm



XCMG XE380LC

40.52 t Excavator - Steel Tracked

- Operating Weight 40.52 t
- Boom Length 6.4 m
- Arm Digging Force 180 kN
- Max. Digging Reach 10.36 m
- Max. Digging Depth 7.29 m
- Engine Type Cummins QSL9
- Engine Rated Power 214 kW/2100 rpm



XCMG XE500LC

49.7 t Excavator - Steel Tracked

- Operating Weight 49.7 t
- Boom Length 6.9 m
- Arm Digging Force 205 kN
- Max. Digging Reach 11.26 m
- Max. Digging Depth 7.75 m
- Engine Type Cummins QSX12
- Engine Rated Power 336 kW/1800 rpm



XCMG XE700D **COMING SOON**

69 t Excavator - Steel Tracked

- Operating Weight 69 t
- Boom Length 7 m
- Arm Digging Force 300 kN
- Max. Digging Reach 11.58 m
- Max. Digging Depth 6.9 m
- Engine Type Perkins 2206D-E13TA
- Engine Rated Power 328 kW/2100 rpm



XCMG XE800LC

76.5 t Excavator - Steel Tracked

- Operating Weight 76.5 t
- Boom Length 7 m
- Bucket Digging Force 405 kN
- Max. Digging Reach 12.5 m
- Max. Digging Depth 7.4 m
- Engine Type Cummins QSM15 77C
- Engine Rated Power 563 kW/2000 rpm



XCMG XE950DA **COMING SOON**

91 t Excavator - Steel Tracked

- Operating Weight 91 t
- Boom Length 7.25 m
- Arm Digging Force 370 kN
- Max. Digging Reach 12.66 m
- Max. Digging Depth 7.17 m
- Engine Type Perkins 2860EA
- Engine Rated Power 447.5 kW/2100 rpm





New Equipment List

XCMG EXCAVATORS



XCMG XE1350

121 t Excavator - Steel Tracked

- Operating Weight 121 t
- Boom Length 7.6 m
- Arm Digging Force 520 kN
- Max. Digging Reach 13.94 m
- Max. Digging Depth 8.2 m
- Engine Type Cummins QSK23
- Engine Rated Power 567 kW/1800 rpm



XCMG XE2000

192 t Excavator - Steel Tracked

- Operating Weight 192 t
- Boom Length 6.3 m
- Arm Digging Force 790 kN
- Max. Digging Reach 13.42 m
- Max. Digging Depth 5.5 m
- Engine Type Cummins QSK38
- Engine Rated Power 610 kW/1480 rpm



XCMG XE3000

285 t Excavator - Steel Tracked

- Operating Weight 285 t
- Boom Length 9 m
- Arm Digging Force 782 kN
- Max. Digging Reach 16.4 m
- Max. Digging Depth 8.63 m
- Engine Type Cummins QSK50
- Engine Rated Power 1193 kW/1800 rpm



XCMG XE4000

384 t Excavator - Steel Tracked

- Operating Weight 384 t
- Boom Length 9.6 m
- Arm Digging Force 961 kN
- Max. Digging Reach 18.5 m
- Max. Digging Depth 8.43 m
- Engine Type Cummins QSK60C
- Engine Rated Power 1491 kW/1800 rpm



XCMG XE5600

569.7 t Excavator - Steel Tracked

- Operating Weight 569.7 t
- Boom Length 10.1 m
- Bucket Digging Force 1500 kN
- Max. Digging Reach 20.23 m
- Max. Digging Depth 8.81 m
- Engine Type Cummins QSKAT50-CE
- Engine Rated Power 1119 kW/1800 rpm



XCMG XE7000

672 t Excavator - Steel Tracked

- Operating Weight 672 t
- Boom Length 8 m
- Arm Digging Force 1830 kN
- Max. Digging Reach 16.7 m
- Max. Digging Depth 3.8 m
- Engine Type Cummins QSK50-C1600
- Engine Rated Power 1193 kW/1800 rpm



New Equipment List

XCMG WHEEL LOADERS



XCMG XC938

11.4 t Front End Wheel Loader

- Operating Load 11.4 t
- Load Capacity 3.5 t
- Max. Travel Speed 36 km/h
- Bucket Capacity 2.1 m³
- Breakout Force 125 kN
- Engine Type Cummins QSB6.7
- Engine Rated Power 99 kW/2200 rpm



XCMG XC948

16.5 t Front End Wheel Loader

- Operating Load 16.5 t
- Load Capacity 4.5 t
- Max. Travel Speed 38 km/h
- Bucket Capacity 3 m³
- Breakout Force 120 kN
- Engine Type Cummins QSB6.7
- Engine Rated Power 142 kW/2200 rpm



XCMG XC958

19.6 t Front End Wheel Loader

- Operating Load 19.6 t
- Load Capacity 5.3 t
- Max. Travel Speed 38 km/h
- Bucket Capacity 3.5 m³
- Breakout Force 170 kN
- Engine Type Cummins QSB6.7
- Engine Rated Power 164 kW/2200 rpm



XCMG XC968-EV

21.6 t Electric Front End Wheel Loader

- Operating Load 21.6 t
- Load Capacity 5.8 t
- Max. Travel Speed 36 km/h
- Bucket Capacity 3.2 m³
- Max. Digging Force 170 kN
- Engine Type CATL/Lithium
- Engine Rated Power 270 kW



XCMG XC978-AS

24.5 t Front End Wheel Loader

- Operating Load 24.5 t
- Load Capacity 7.8 t
- Max. Travel Speed 42 km/h
- Bucket Capacity 4.5 m³
- Breakout Force 215 kN
- Engine Type Cummins QSM11
- Engine Rated Power 216 kW/2200 rpm



XCMG XC988 **COMING SOON**

26.4 t Front End Wheel Loader

- Operating Load 26.4 t
- Load Capacity 8.5 t
- Max. Travel Speed 39 km/h
- Bucket Capacity 5 m³
- Max. Digging Force 240 kN
- Engine Type Cummins X12
- Engine Rated Power 250 kW/2100 rpm



XCMG XC998

30.5 t Front End Wheel Loader

- Operating Load 30.5 t
- Load Capacity 9 t
- Max. Travel Speed 35 km/h
- Bucket Capacity 5.4 m³
- Breakout Force 260 kN
- Engine Type Cummins X12
- Engine Rated Power 277 kW/2100 rpm



XCMG XC9108 **COMING SOON**

35 t Front End Wheel Loader

- Operating Load 35 t
- Load Capacity 11 t
- Max. Travel Speed 35 km/h
- Bucket Capacity 6.2 m³
- Max. Digging Force 280 kN
- Engine Type Cummins X12
- Engine Rated Power 277 kW/2100 rpm





New Equipment List

XCMG WHEEL LOADERS



XCMG LW1200KN

50.5 t Front End Wheel Loader

- Operating Load 50.5 t
- Load Capacity 12 t
- Max. Travel Speed 36 km/h
- Bucket Capacity 6.5 m³
- Max. Digging Force 394 kN
- Engine Type Cummins QSK19
- Engine Rated Power 418 kW



XCMG XC9150 **COMING SOON**

55 t Front End Wheel Loader

- Operating Load 55 t
- Load Capacity 15 t
- Max. Travel Speed 32 km/h
- Bucket Capacity 7.7 m³
- Breakout Force 370 kN
- Engine Type Cummins QSM15
- Engine Rated Power 563 kW/2100 rpm



New Equipment List

XCMG ROLLERS



XCMG XD120S

2.7 t Vibratory Roller - Smooth Drum

- Operating Weight 2.7 t
- Vibration Frequency 63/67 Hz
- Vibration Force 36/41 kN
- Drum Diameter 0.72 m
- Drum Width 1.2 m
- Engine Type Kubota
- Engine Rated Power 24 kW/2400 rpm



XCMG XD140S

4.3 t Vibratory Roller - Smooth Drum

- Operating Weight 4.3 t
- Vibration Frequency 53/60 Hz
- Vibration Force 42/53 kN
- Drum Diameter 0.92 m
- Drum Width 1.38 m
- Engine Type V2403
- Engine Rated Power 34.1 kW/2400 rpm



XCMG XS83 / XS83PD

8 t Vibratory Roller - Smooth / Pad Foot Drum

- Operating Weight 8 t
- Vibration Frequency 63/67 Hz
- Vibration Force 36/41 kN
- Drum Diameter 0.72 m
- Drum Width 1.2 m
- Engine Type Kubota
- Engine Rated Power 24 kW/2400 rpm



XCMG XS123 / XS123PD

12 t Vibratory Roller - Smooth / Pad Foot Drum

- Operating Weight 12 t
- Vibration Frequency 30/35 Hz
- Vibration Force 280/190 kN
- Drum Diameter 1.52 m
- Drum Width 2.13 m
- Engine Type QSF3.8
- Engine Rated Power 104 kW/2200 rpm



XCMG XS165 / XS165PD

16 t Vibratory Roller - Smooth / Pad Foot Drum

- Operating Weight 16 t / 16.8 t
- Vibration Frequency 28/33 Hz
- Vibration Force 340/236 kN
- Drum Diameter 1.52 m / 1.73 m
- Drum Width 2.13 m
- Engine Type QSB4.5
- Engine Rated Power 119 kW/2200 rpm



XCMG XS185S / XS185SPD

18.5 t Vibratory Roller - Smooth / Pad Foot Drum

- Operating Weight 18 t/18.5
- Vibration Frequency 28/33 Hz
- Vibration Force 340/240kN
- Drum Diameter 1.52 m/1.73 m
- Drum Width 2.13 m
- Engine Type QSB5.9
- Engine Rated Power 142 kW/2200 rpm



XCMG XS205S / XS205SPD

20 t / 20.8 t Vibratory Roller - Smooth / Pad Foot Drum

- Operating Weight 20 t
- Vibration Frequency 28/33 Hz
- Vibration Force 385/270 kN
- Drum Diameter 1.60 m / 1.8 m
- Drum Width 2.13 m
- Engine Type QSB5.9
- Engine Rated Power 142 kW/2200 rpm



XCMG XS265S / XS265SPD

26 t Vibratory Roller - Smooth Drum / Pad Foot Drum

- Operating Weight 26 t
- Vibration Frequency 27/32 Hz
- Vibration Force 435/315 kN
- Drum Diameter 1.60 m
- Drum Width 2.17 m
- Engine Type QSB6.7
- Engine Rated Power 164 kW/2200 rpm





New Equipment List

XCMG ROLLERS



XCMG XP265S

26.3 t Vibratory Roller - Multi-Tyre

- Operating Weight 26.3 t
- Operating Speed 0 - 16 km/h
- Ground Pressure 200 - 470 kPa
- Tyre Diameter 1.05 m
- Overall Width 2.5 m
- Engine Type Water-Cooled In-Line
- Engine Rated Power 132 kW/2000 rpm





New Equipment List

XCMG GRADERS



XCMG GR1003

7.5 t Motor Grader

- Operating Weight 7.5 t
- Blade Dimensions 3.05 x 0.45 m
- Wheel Track 2.37 m
- Max. Driving Speed 38 km/h
- Machine Height 3.15 m
- Engine Type Cummins QSB3.9
- Engine Rated Power 81 kW/2200 rpm



XCMG GR2405T PRO

17.5 t Motor Grader

- Operating Weight 17.5 t
- Blade Dimensions 3.66 x 0.61 m
- Wheel Track 2.16 m
- Max. Driving Speed 44.7 km/h
- Machine Height 3.5 m
- Engine Type Cummins QSB6.7
- Engine Rated Power 178 kW/2200 rpm



XCMG GR2605T PRO

19 t Motor Grader

- Operating Weight 19 t
- Blade Dimensions 3.66 x 0.61 m
- Wheel Track 2.16 m
- Max. Driving Speed 40.2 km/h
- Machine Height 3.5 m
- Engine Type Cummins QSL8.9
- Engine Rated Power 194 kW/2200 rpm



XCMG GR3005T PRO **COMING SOON**

28.5 t Motor Grader

- Operating Weight 28.5 t
- Blade Dimensions 4.25 x 0.69 m
- Wheel Track 2.7 m
- Max. Driving Speed 40 km/h
- Machine Height 3.85 m
- Engine Type Cummins QSL8.9
- Engine Rated Power 242 kW/2200 rpm



XCMG GR3505T PRO

32 t Motor Grader

- Operating Weight 32 t
- Blade Dimensions 4.9 x 0.69 m
- Wheel Track 2.7 m
- Max. Driving Speed 45 km/h
- Machine Height 4.1 m
- Engine Type Cummins QSM11
- Engine Rated Power 261 kW/2100 rpm



XCMG GR5505T PRO

74 t Motor Grader

- Operating Weight 74 t
- Blade Dimensions 7.3 x 1.03 m
- Wheel Track 3.65 m
- Max. Driving Speed 42.7 km/h
- Machine Height 4.81 m
- Engine Type Perkins 2806D-E18TA
- Engine Rated Power 447 kW/2100 rpm





New Equipment List

XCMG DOZERS



XCMG D170 **COMING SOON**

17.4 t Dozer

- Operating Weight 17.4 t
- Track Width 0.51 m
- Ground Pressure 56.4 kPa
- Blade Lift Height 1.09 m
- Engine Type WP9H
- Engine Rated Power 140 kW/1900 rpm
- Dimensions 5.38 m x 3.45 m x 3.2 m



XCMG D260 **COMING SOON**

24.6 t Dozer

- Operating Weight 24.6 t
- Track Width 0.56 m
- Ground Pressure 66 kPa
- Blade Lift Height 1.21 m
- Engine Type SC9DF270G4
- Engine Rated Power 199 kW/2200 rpm
- Dimensions 5.59 m x 3.72 m x 3.53 m



XCMG D360 **COMING SOON**

35.6 t Dozer

- Operating Weight 35.6 t
- Track Width 0.56 m
- Ground Pressure 109 kPa
- Blade Lift Height 1.4 m
- Engine Type M14
- Engine Rated Power 360 kW/1300 rpm
- Dimensions 9.09 m x 4.13 m x 3.7 m





New Equipment List

XCMG SKID STEER LOADERS



XCMG XC7-SR07 (35.5kW)

0.89 t Skid Steer - Wheeled

- Operating Mass 2.95 t
- Rated Load 0.89 t
- Max. Breakout Force 24 kN
- Max. Driving Speed 14 km/h
- Dumping Height 2.4 m
- Engine Type YANMAR 4TNV94L-BXPHZ
- Engine Rated Power 35.5 kW/2400 rpm



XCMG XC7-SR08 (50.2kW)

0.95 t Skid Steer - Wheeled

- Operating Mass 3.21 t
- Rated Load 0.95 t
- Max. Breakout Force 24 kN
- Max. Driving Speed 14 km/h
- Dumping Height 2.4 m
- Engine Type YANMAR 4TNV98-ZCPTYBC
- Engine Rated Power 50.2 kW/2400 rpm



XCMG XC7-SR10 (61.3kW)

1.1 t Skid Steer - Wheeled

- Operating Mass 3.55 t
- Rated Load 1.1 t
- Max. Breakout Force 30 kN
- Max. Driving Speed 12 km/h
- Dumping Height 2.53 m
- Engine Type YANMAR 4TNV98T
- Engine Rated Power 61.3 kW/2500 rpm



XCMG XC7-SR12 (61.3kW)

1.26 t Skid Steer - Wheeled

- Operating Mass 3.68 t
- Rated Load 1.26 t
- Max. Breakout Force 30 kN
- Max. Driving Speed 12 km/h
- Dumping Height 2.53 m
- Engine Type YANMAR 4TNV98T
- Engine Rated Power 61.3 kW/2500 rpm



XCMG XC7-TV10 (61.3kW)

1.36 t Skid Steer - Compact Track Loader

- Operating Mass 4.75 t
- Rated Load 1.1 t
- Max. Breakout Force 28.5 kN
- Max. Driving Speed 14 km/h
- Dumping Height 2.46 m
- Engine Type YANMAR 4TNV98T
- Engine Rated Power 61.3 kW/2500 rpm



XCMG XC7-TV12 (61.3kW)

1.36 t Skid Steer - Compact Track Loader

- Operating Mass 5.15 t
- Rated Load 1.36 t
- Max. Breakout Force 31 kN
- Max. Driving Speed 14 km/h
- Dumping Height 2.61 m
- Engine Type YANMAR 4TNV98T-ZCNTYBC
- Engine Rated Power 61.3 kW/2500 rpm





New Equipment List

XCMG ADT & HAUL TRUCKS



XCMG XDA30 **COMING SOON**

30 t Articulated Dump Truck

Specially designed for mining operation lowers fuel consumption and increases working efficiency.

- Loading Capacity 30 t
- Kerb Weight 26.7 t
- Max. Driving Speed 49 km/h
- Max. Gradeability 45%
- Engine Rated Power 280 kW/ 2100 rpm



XCMG XDA45

41 t Articulated Dump Truck

Specially designed for mining operation lowers fuel consumption and increases working efficiency.

- Loading Capacity 41 t
- Kerb Weight 34 t
- Max. Driving Speed 47 km/h
- Max. Gradeability 45%
- Engine Rated Power 390 kW/ 1600 rpm



XCMG XDE130 (AC DRIVE)

120 t Electric Drive Rigid Dump Truck

- Loading Capacity 120 t
- Vehicle Total Mass 205 t
- Kerb Weight 85 t
- Max. Driving Speed 50 km/h
- Min. Turning D. 22 m
- Max. Gradeability 20%
- Engine Rated Power 970 kW



XCMG XDE200 (AC DRIVE)

180 t Electric Drive Rigid Dump Truck

- Loading Capacity 180 t
- Vehicle Total Mass 320 t
- Kerb Weight 140 t
- Max. Driving Speed 56 km/h
- Min. Turning D. 26 m
- Max. Gradeability 18%
- Engine Rated Power 1510 kW



XCMG XDE240 (AC DRIVE)

230 t Electric Drive Rigid Dump Truck

- Loading Capacity 230 t
- Vehicle Total Mass 395 t
- Kerb Weight 165 t
- Max. Driving Speed 64 km/h
- Min. Turning D. 28.4 m
- Max. Gradeability 17%
- Engine Rated Power 1865 kW



XCMG XDE320 (AC DRIVE)

300 t Electric Drive Rigid Dump Truck

- Loading Capacity 300 t
- Vehicle Total Mass 510 t
- Kerb Weight 210 t
- Max. Driving Speed 64.5 km/h
- Min. Turning D. 28.4 m
- Max. Gradeability 18%
- Engine Rated Power 2014 kW





New Equipment List

XCMG FORKLIFTS



2.5-tonne Forklift

XCMG FD25T

Maximum Lift Capacity 2500 kg
 Maximum Lifting Height 3 m
 Load Centre 0.5 m
 Forks width | length 0.12 m | 1.07 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



3.5-tonne Forklift

XCMG FD35T

Maximum Lift Capacity 3500 kg
 Maximum Lifting Height 3 m
 Load Centre 0.5 m
 Forks width | length 0.12 m | 1.07 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



5-tonne Forklift

XCMG FD50T

Maximum Lift Capacity 5000 kg
 Maximum Lifting Height 7 m
 Load Centre 0.5 m
 Forks width | length 0.15 m | 1.22 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



7-tonne Forklift

XCMG FD70T

Maximum Lift Capacity 7000 kg
 Maximum Lifting Height 4.43 m
 Load Centre 0.5 m
 Forks width | length 0.15 m | 1.22 m

Key Features

Ergonomic operator controls, low cost of operation, easy maintenance.



2-tonne Forklift

XCMG FGL25T - Dual Fuel Container

Maximum Lift Capacity 1800 kg
 Maximum Lifting Height 3 m
 Forks width | length 0.15 m | 1.22 m

Key Features

2.5-tonne Dual Fuel Container Mast Fork Lift. Automatic (Hydraulic) transmission, Solid tyres, Suspension seat.



5-tonne Forklift

XCMG FGL50T - Dual Fuel Container

Maximum Lift Capacity 5000 kg
 Maximum Lifting Height 6 m
 Load Centre 0.5 m
 Forks width | length 0.15 m | 1.07 m

Key Features

5-tonne Dual Fuel Container Mast Fork Lift. Automatic (Hydraulic) transmission.



2.5-tonne Forklift

XCMG XCB25 - Lithium

Maximum Lift Capacity 2500 kg
 Maximum Lifting Height 3 m
 Load Centre 0.5 m

Key Features

Lithium battery/lead acid,
 Operating Weight 1000 kg.



3.5-tonne Forklift

XCMG XCB35 - Lithium

Maximum Lift Capacity 3500 kg
 Maximum Lifting Height 3 m
 Load Centre 0.5 m

Key Features

Lithium battery/lead acid,
 Operating Weight 1000 kg.





New Equipment List

XCMG FORKLIFTS



10-tonne Forklift

XCMG XCF1006K

Maximum Lift Capacity 10000 kg
 Maximum Lifting Height 3 m
 Load Centre 0.6 m
 Forks width | length 0.17 m | 1.22 m

Key Features

The heavy-duty machine's setup is simple and reliable for easy operation and maintenance.



16-tonne Forklift

XCMG XCF1612E- Electric

Maximum Lift Capacity 16000 kg
 Maximum Lifting Height 4 m
 Load Centre 1.2 m
 Forks width | length 0.2 m | 2.44 m

Key Features

CATL lithium iron phosphate battery.
 Maximum power 235kW. Rear axle full hydraulic steering.



16-tonne Forklift

XCMG XCF1606K - Counter-balanced Forklift

Maximum Lift Capacity 16000 kg
 Maximum Lifting Height 3 m
 Load Centre 1.2 m
 Forks width | length 0.2 m | 1.37 m

Key Features

It can handle steel coils, bulk materials, concrete, logs, 20' containers and more.



16-tonne Forklift

XCMG XCF1612KII

Maximum Lift Capacity 16000 kg
 Maximum Lifting Height 4 m
 Load Centre 1.2 m
 Forks width | length 0.3 m | 2.44 m

Key Features

Engine QSB6.7, Rear axle full hydraulic steering.
 Energy-efficient, ergonomic design.



32-tonne Forklift

XCMG XCF3212K

Maximum Lift Capacity 32000 kg
 Maximum Lifting Height 4 m
 Load Centre 1.2 m
 Forks width | length 0.3 m | 2.44 m

Key Features

Engine QSL8.9, Rear axle full hydraulic steering.
 Energy-efficient, ergonomic design.



45-tonne Reach Stacker

XCMG XCS4531K

Maximum Lift Capacity 45000 kg
 Maximum Lifting Height 15.37 m
 Side Shift 0.8 m

Key Features

XCMG spreader is suitable for handling 20' and 40' standard containers. LMT, anti-tilting protection device for rear axle.



10-tonne Empty Container Handler

XCMG XCH1008K

Maximum Lift Capacity 10000 kg
 Maximum Height 21.78 m
 Side Shift 0.6 m

Key Features

Dynamic load protection technology makes the travelling speed be limited according to machine load.



45-tonne Reach Stacker

XCMG XCS4531E3 - Electric

Maximum Lift Capacity 45000 kg
 Maximum Lifting Height 15.37 m
 Side Shift 0.8 m

Key Features

Ergonomic cab, powerful electric engine which guarantees high lifting speed of 420 / 250 mm /sec.
 Power battery pack voltage 656V / capacity 595 km/h





New Equipment List

XCMG BOOM LIFTS



12.5 m Articulated Boom Lift

XCMG XGA12K

Working Height	12.5 m
Max Horizontal Reach	6 m
Platform Capacity	230 kg
Platform size	1.4m×0.7m×1.15m

Key Features

Platform automatic levelling system, fully proportional multi function controls, enable switch.



16.6 m Articulated Boom Lift - Hybrid

XCMG XGA16K

Working Height	16.63 m
Max Horizontal Reach	8.82 m
Platform Capacity	256/350 kg (Limited)
Platform size	1.83m×0.76m×1.15m

Key Features

Electrical system with distributed PLC control technology & adaptive control of proportional valves.



20.6 m Articulated Boom Lift - Hybrid

XCMG XGA20K

Working Height	20.63 m
Max Horizontal Reach	12.08 m
Platform Capacity	256/350 kg (Limited)
Platform size	1.83m×0.76m×1.15m

Key Features

Four-wheel drive, climbing capacity 45%, equipped with axle balance. Ground adaptability is stronger.



26.6 m Articulated Boom Lift - Diesel

XCMG XGA26K

Working Height	26.6 m
Working Radius	19.5 m
Platform Capacity	150/256 kg (Limited)
Platform size	2.4m×0.9m

Key Features

160° Platform rotation, Axle balance system, Axle balance pressure detection system 4-wheel braking system



22 m Telescopic Boom Lift - Diesel

XCMG XGS22K

Working Height	22 m
Working Radius	17.2 m
Platform Capacity	300/460 kg (Limited)
Platform size	2.44m×0.9m×1.15m

Key Features

The combined boom consists of a double-linked tower boom + 3 sections of telescopic boom + 1 section of small flying boom structure.



40.2 m Telescopic Boom Lift - Diesel

XCMG XGS40K

Working Height	40.2 m
Max Working Range	24.9 m
Platform Capacity	300/460 kg (Limited)
Platform size	2.4m×0.9m×1.15m

Key Features

Rotation angle of turntable 360 degrees continuous. Min. Turning Radius (outside) 6.8 m (Axle retracted).



58.6 m Telescopic Boom Lift - Diesel

XCMG XGS58K

Working Height	58.6 m
Max Working Range	24.4 m
Platform Capacity	230/450 kg (Limited)
Platform size	2.4m×0.9m×1.15m

Key Features

Rotation angle of turntable 360 degrees continuous. Min. Turning Radius (outside) 7.6 m (Axle retracted).





New Equipment List

XCMG SCISSOR LIFTS



7.8 m Scissor Lift - Electric

XCMG XG0807ACW

Max Working Height 7.8 m
Machine Width 0.81 m
Platform Capacity 230 kg
Platform Dimensions 1.67 m x 0.74 m

Key Features

The unique "zero inner turning radius" design allows for flexible use in narrow spaces.



10 m Scissor Lift - Electric

XCMG XG1012AC

Max Working Height 10 m
Machine Width 1.17 m
Platform Capacity 450 kg
Platform Dimensions 2.27 m x 1.12 m

Key Features

It adopts an energy-efficient electric drive system with zero emissions and low noise.



10 m Scissor Lift - Electric

XCMG XG1008AC

Max Working Height 10 m
Machine Width 0.81 m
Platform Capacity 230 kg
Platform Dimensions 2.27 m x 0.81 m

Key Features

It adopts an energy-efficient electric drive system with zero emissions and low noise.



12 m Scissor Lift - Rough Terrain

XCMG XG1218RT

Max Working Height 12 m
Machine Width 1.76 m
Platform Capacity 455 kg
Platform Dimensions 2.88 m x 1.52 m

Key Features

Engine Kubota, 18.2 kW/ 3000 rpm
Tipping alarms, 200 mm ground clearance.



15 m Scissor Lift - Rough Terrain

XCMG XG1523RT

Max Working Height 15 m
Machine Width 2.29 m
Platform Capacity 680 kg
Platform Dimensions 3.980 m x 1.83 m

Key Features

Kubota Euro stage V emission, 115L hydraulic oil tank
115L diesel fuel tank. 4-wheel multi-disc brakes.



18.1 m Scissor Lift - Rough Terrain

XCMG XG1823RT

Max Working Height 18.1 m
Machine Width 2.86 m
Platform Capacity 680 kg
Platform Dimensions 3.980 m x 1.83 m

Key Features

Kubota Euro stage V emission, 115L hydraulic oil tank
115L diesel fuel tank. 12V DC emergency power.





New Equipment List

TAMPERS



Husqvarna LT 5005

Weight: 62kg

- Motor/Engine Model HONDA GXR120
- Power Output 2.7 kW
- Exhaust Emissions 976 g/kWh
- Power Fuel Type Petrol
- Vibration Frequency 12 Hz
- Speed 16.5 m/min



Husqvarna LT 6005

Weight: 69kg

- Motor/Engine Model HONDA GXR120
- Power Output 2.7 kW
- Exhaust Emissions 674 g/kWh
- Power Fuel Type Petrol
- Vibration Frequency 12 Hz
- Speed 16.5 m/min



Husqvarna LT 8005

Weight: 99kg

- Motor/Engine Model HATZ 1B20
- Power Output 3 kW
- Exhaust Emissions 1018 g/kWh
- Power Fuel Type Diesel
- Vibration Frequency 12 Hz
- Speed 11.5 m/min





New Equipment List

PLATE COMPACTORS



Husqvarna LF 50 L

53kg Forward Plate Compactor - Soil

- Motor/Engine Model HONDA GX 100
- Power Output 2.1 kW
- Exhaust Emissions 976 g/kWh
- Power Fuel Type Petrol
- Vibration Frequency 95 Hz
- Centrifugal Force 8 kN
- Speed 32 m/min



Husqvarna LF 60 LAT

67kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model HONDA GX 100
- Power Output 2.1 kW
- Exhaust Emissions 757 g/kWh
- Power Fuel Type Petrol
- Vibration Frequency 95 Hz
- Centrifugal Force 10 kN
- Speed 25 m/min



Husqvarna Lfv 80

Forward Plate Compactor

- Motor/Engine Model HONDA GX 160
- Power Output 3.6 kW
- Exhaust Emissions 757 g/kWh
- Power Fuel Type Petrol
- Sound Power Level 104 dB(A)
- Sound Pressure Level at operators ear 93 dB(A)



Husqvarna LF 80 L

84kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model HONDA GX 160
- Power Output 3.6 kW
- Exhaust Emissions 757 g/kWh
- Power Fuel Type Petrol
- Vibration Frequency 95 Hz
- Centrifugal Force 19 kN
- Speed 32 m/min



Husqvarna LF 75 LAT

95kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model HONDA GX 160
- Power Output 3.6 kW
- Exhaust Emissions 757 g/kWh
- Power Fuel Type Petrol
- Vibration Frequency 95 Hz
- Centrifugal Force 15 kN
- Speed 27 m/min



Husqvarna LF 100 LAT

118kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model HATZ 1B20
- Power Output 3.2 kW
- Exhaust Emissions 987 g/kWh
- Power Fuel Type Diesel*
- Vibration Frequency 95 Hz
- Centrifugal Force 17 kN
- Speed 25 m/min



Husqvarna LG 164

166kg Forward & Reversible Plate Compactor - Small

- Motor/Engine Model HATZ 1B20
- Power Output 3.6 kW
- Exhaust Emissions 987 g/kWh
- Power Fuel Type Diesel*
- Vibration Frequency 80 Hz
- Centrifugal Force 28 kN
- Speed 32 m/min



Husqvarna LG 204

251kg Forward & Reversible Plate Compactor - Small

- Motor/Engine Model HATZ 1B20
- Power Output 3.1 kW
- Exhaust Emissions 987 g/kWh
- Power Fuel Type Diesel*
- Vibration Frequency 65 Hz
- Centrifugal Force 36 kN
- Speed 22 m/min



*Petrol option available



New Equipment List

PLATE COMPACTORS



Husqvarna LG 300

282kg Forward & Reversible Plate Compactor - Small

- Motor/Engine Model HATZ 1B30
- Power Output 4.4 kW
- Exhaust Emissions 987 g/kWh
- Power Fuel Type Diesel*
- Vibration Frequency 68 Hz
- Centrifugal Force 40 kN
- Speed 25 m/min



Husqvarna LG 400

436kg Forward & Reversible Plate Compactor - Medium

- Motor/Engine Model LOMBARDINI 15LD 440/S
- Power Output 6.2 kW
- Exhaust Emissions 757 g/kWh
- Power Fuel Type Diesel*
- Vibration Frequency 60 Hz
- Centrifugal Force 52 kN
- Speed 25 m/min



Husqvarna LG 504

513kg Forward & Reversible Plate Compactor - Medium

- Motor/Engine Model HATZ 1D81Z
- Power Output 9.1 kW
- Exhaust Emissions 975 g/kWh
- Power Fuel Type Diesel
- Vibration Frequency 69 Hz
- Centrifugal Force 65 kN
- Speed 32 m/min



Husqvarna LH 700

780kg Forward & Reversible Plate Compactor - Heavy

- Motor/Engine Model HATZ 1D90V
- Power Output 11 kW
- Exhaust Emissions 974.76 g/kWh
- Power Fuel Type Diesel
- Vibration Frequency 53 Hz
- Centrifugal Force 95 kN
- Speed 30 m/min



Husqvarna LH 804 - Remote Control

820kg Forward & Reversible Plate Compactor - Heavy

- Motor/Engine Model HATZ 1D90V
- Power Output 11 kW
- Exhaust Emissions 974.76 g/kWh
- Power Fuel Type Diesel
- Vibration Frequency 56 Hz
- Centrifugal Force 95 kN
- Speed 30 m/min





New Equipment List

DOUBLE DRUM ROLLERS



Husqvarna LP 6505

Weight: 765kg

- Motor/Engine Model HATZ 1D42S
- Power Output 6.8 kW
- Exhaust Emissions 993.78 g/kWh
- Power Fuel Type Diesel
- Frequency 58Hz
- Centrifugal Force 22 kN
- Speed 60 m/min
- Starter Electric



TRENCH ROLLERS



Husqvarna LP 9505 - Remote Control

Weight: 1680kg

- Motor/Engine Model Kubota D1105
- Power Output 18 kW
- Exhaust Emissions 976 g/kWh
- Power Fuel Type Diesel
- Frequency 42Hz
- Speed Forward Max 1.35km/h
- Speed 22.5 m/min
- Starter Electric



The highly productive Husqvarna LP 9505 articulated trench compactor delivers a smooth, compacted surface, which doesn't dig up soil when turning. Due to the high operating weight and ultimate traction, it is suitable for all kinds of soils (dry or wet) but especially suited for cohesive materials like clay and silt. The fuel-efficient engine provides class-leading power for a whole day of uninterrupted work and the radio remote control offers great flexibility, better ergonomics and safer working conditions. Servicing is quick and easy with all service points clearly marked and easily accessed under the hoods.



New Equipment List

CONCRETE PLACEMENT



Husqvarna CT 36

Walk Behind Trowel

- Motor Manufacturer Honda
- Motor/Engine Model GX160
- Power Output 3.6 kW
- Fuel Tank Volume 3.1 L
- Exhaust Emissions 757 g/kWh
- Sound Pressure Level 103 dB(A)
at operators ear



Husqvarna CT 48

Walk Behind Trowel

- Motor Manufacturer Honda
- Motor/Engine Model GX340
- Power Output 8 kW
- Fuel Tank Volume 6.1 L
- Exhaust Emissions 743 g/kWh
- Sound Pressure Level 113 dB(A)
at operators ear



Husqvarna CRT 36

Ride-on Trowel

- Motor Manufacturer Honda
- Motor/Engine Model GX690
- Power Output 16.5 kW
- Fuel Tank Volume 24.2 L
- Exhaust Emissions 751 g/kWh
- Sound Pressure Level 91.2 dB(A)
at operators ear



Husqvarna CRT 48PS

Ride-on Trowel

- Motor Manufacturer Kubota
- Motor/Engine Model WG1605
- Power Output 42.5 kW
- Fuel Tank Volume 24.6 L
- Exhaust Emissions 1075 g/kWh
- Sound Pressure Level 94.3 dB(A)
at operators ear



Husqvarna CRT 60 X

Ride-on Trowel

- Motor Manufacturer Kohler
- Motor/Engine Model KDI2504TCR
- Power Output 55 kW
- Fuel Tank Volume 44.71 L
- Sound Pressure Level at operators ear 93.4 dB(A)





New Equipment List

ROCK BREAKERS



Italdem GK 75 S

Excavator Size: 0.5 - 2 Tonne

- Operating Weight 75kg
- Tool Diameter 40mm
- Oil Flow 13 - 25 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 6 hp
- Impact Rate 750 - 1430



Italdem GK 100 S

Excavator Size: 1 - 3 Tonne

- Operating Weight 105kg
- Tool Diameter 46mm
- Oil Flow 15 - 30 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 7 hp
- Impact Rate 700 - 1350



Italdem GK 165 S

Excavator Size: 2 - 4.5 Tonne

- Operating Weight 155kg
- Tool Diameter 56mm
- Oil Flow 25 - 40 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 9.5 hp
- Impact Rate 670 - 1050



Italdem GK 225 S

Excavator Size: 3 - 6 Tonne

- Operating Weight 220kg
- Tool Diameter 67mm
- Oil Flow 35 - 60 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 14 hp
- Impact Rate 620 - 1050



Italdem GK 320 S

Excavator Size: 4.5 - 9 Tonne

- Operating Weight 330kg
- Tool Diameter 80mm
- Oil Flow 45 - 85 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 20 hp
- Impact Rate 540 - 1000



Italdem GK 450 S

Excavator Size: 7 - 11 Tonne

- Operating Weight 450kg
- Tool Diameter 85mm
- Oil Flow 75 - 100 l/min
- Working Pressure 105 - 115 bar
- Relief Valve 150 bar
- Required Power 25.5 hp
- Impact Rate 650 - 900



Italdem GK 630 S

Excavator Size: 9 - 15 Tonne

- Operating Weight 650kg
- Tool Diameter 105mm
- Oil Flow 110 - 130 l/min
- Working Pressure 110 - 120 bar
- Relief Valve 170 bar
- Required Power 35 hp
- Impact Rate 600 - 650



Italdem GK 1060 S

Excavator Size: 13 - 20 Tonne

- Operating Weight 1050kg
- Tool Diameter 114mm
- Oil Flow 130 - 150 l/min
- Working Pressure 110 - 120 bar
- Relief Valve 170 bar
- Required Power 38 hp
- Impact Rate 500 - 600





New Equipment List

ROCK BREAKERS



Italdem GK 1360 S

Excavator Size: 18 - 25 Tonne

- Operating Weight 1350kg
- Tool Diameter 120mm
- Oil Flow 150 - 160 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 50 hp
- Impact Rate 600



Italdem GK 1560 S

Excavator Size: 20 - 28 Tonne

- Operating Weight 1500kg
- Tool Diameter 132mm
- Oil Flow 160 - 170 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 56 hp
- Impact Rate 580



Italdem GK 1810 S

Excavator Size: 22 - 30 Tonne

- Operating Weight 1800kg
- Tool Diameter 140mm
- Oil Flow 200 - 210 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 70 hp
- Impact Rate 550
- Max. Noise Level 88 db-A (silenced version)



Italdem GK 2500 S

Excavator Size: 28 - 40 Tonne

- Operating Weight 2400kg
- Tool Diameter 150mm
- Oil Flow 220 - 230 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 78 hp
- Impact Rate 550
- Max. Noise Level 88 db-A (silenced version)



Italdem GK 3000 S

Excavator Size: 30 - 50 Tonne

- Operating Weight 3000kg
- Tool Diameter 165mm
- Oil Flow 250 - 260 l/min
- Working Pressure 150 - 160 bar
- Relief Valve 200 bar
- Required Power 93 hp
- Impact Rate 500
- Max. Noise Level 88 db-A (silenced version)



Italdem GK 4000 S

Excavator Size: 40 - 65 Tonne

- Operating Weight 4000kg
- Tool Diameter 185mm
- Oil Flow 300 - 310 l/min
- Working Pressure 150 - 160 bar
- Relief Valve 200 bar
- Required Power 112 hp
- Impact Rate 450
- Max. Noise Level 88 db-A (silenced version)



New Equipment List

GENERATORS

GENMAC
your power source.

Genmac Combiplus RG5000YE0 AVR

Autonomy at 75% of load 15h

- PRP Continuous Power 5 kVA
- PRP Continuous Power 4.5 kW
- Engine Brand Yanmar
- Engine Model L100
- Voltage VAC 230
- Frequency 50 Hz
- Intensity in Amp. 21
- Weight 95 kg



Genmac Dynamic G20PS

Autonomy at 75% of load 18h

- PRP Continuous Power 20 kVA
- PRP Continuous Power 16 kW
- LTP Stand-by Power 22 kVA
- LTP Stand-by Power 18 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 29/72
- Speed 1500 rpm



Genmac Strong G45PS

Autonomy at 75% of load 12h

- PRP Continuous Power 45 kVA
- PRP Continuous Power 36 kW
- LTP Stand-by Power 50 kVA
- LTP Stand-by Power 40 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 65/72
- Speed 1500 rpm



Genmac King G80PS

Autonomy at 75% of load 11h

- PRP Continuous Power 80 kVA
- PRP Continuous Power 64 kW
- LTP Stand-by Power 88 kVA
- LTP Stand-by Power 70 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 116/127
- Speed 1500 rpm



Genmac Queen G100PS

Autonomy at 75% of load 16h

- PRP Continuous Power 100 kVA
- PRP Continuous Power 80 kW
- LTP Stand-by Power 110 kVA
- LTP Stand-by Power 88 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 145/159
- Speed 1500 rpm



Genmac Queen G150PS-E3

Autonomy at 75% of load 9h

- PRP Continuous Power 150 kVA
- PRP Continuous Power 120 kW
- LTP Stand-by Power 172 kVA
- LTP Stand-by Power 138 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 217/249
- Speed 1500 rpm



Genmac Royal G300PS

Autonomy at 75% of load 7h

- PRP Continuous Power 300 kVA
- PRP Continuous Power 240 kW
- LTP Stand-by Power 330 kVA
- LTP Stand-by Power 264 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 434/477
- Speed 1500 rpm



Genmac Magnum G500PS-E3

Autonomy at 75% of load 8h

- PRP Continuous Power 500 kVA
- PRP Continuous Power 400 kW
- LTP Stand-by Power 550 kVA
- LTP Stand-by Power 440 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 723/795
- Speed 1500 rpm





New Equipment List

GENERATORS



Genmac Omega G600PS

Autonomy at 75% of load 11h

- PRP Continuous Power 600 kVA
- PRP Continuous Power 480 kW
- LTP Stand-by Power 660 kVA
- LTP Stand-by Power 528 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 867/954
- Speed 1500 rpm



Genmac Platinum G800PS

Autonomy at 75% of load 11h

- PRP Continuous Power 800 kVA
- PRP Continuous Power 640 kW
- LTP Stand-by Power 891 kVA
- LTP Stand-by Power 713 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 1156/1288
- Speed 1500 rpm



Genmac Extreme G1000PS

Autonomy at 75% of load 2h

- PRP Continuous Power 1035 kVA
- PRP Continuous Power 828 kW
- LTP Stand-by Power 1138 kVA
- LTP Stand-by Power 910 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 1496/1645
- Speed 1500 rpm



Genmac Extreme G1700PS

Autonomy at 75% of load 1h

- PRP Continuous Power 1705 kVA
- PRP Continuous Power 1364 kW
- LTP Stand-by Power 1875 kVA
- LTP Stand-by Power 1500 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 2464/2710
- Speed 1500 rpm



Genmac Star G200PO

Autonomy at 75% of load 10h

- PRP Continuous Power 200 kVA
- PRP Continuous Power 160 kW
- LTP Stand-by Power 220 kVA
- LTP Stand-by Power 176 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 289/318
- Speed 1500 rpm



Genmac Majestic G500PO

Autonomy at 75% of load 8h

- PRP Continuous Power 500 kVA
- PRP Continuous Power 400 kW
- LTP Stand-by Power 550 kVA
- LTP Stand-by Power 440 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 723/795
- Speed 1500 rpm





New Equipment List

LIGHTING TOWERS

Genmac Winky

- Illuminated Surface 5000 m²
- Light Type MultiLED
- Lights 4 x 320 W LED
- Lumen 166200
- Mast Hydraulic
- Mast Height Max 8.5 m
- Rotation 359°
- Resistance to Wind 110 Km/h
- Base With forklift pockets
- Dimensions 120x100x230 cm
- Weight 550 kg
- Galvanized telescopic mast
- Each lamp has its own On/Off switch



GENMAC

your power source.

Genmac Bellatrix

- Illuminated Surface 4900 m²
- Lights 4 x 350 W LED
- Mast Hydraulic
- Mast Height Max 8.5 m
- Rotation 350°
- Base With forklift pockets
- Fuel Diesel
- Zinc plating steel telescopic mast
- Sound-proof diesel generator with engine protection card.
- Coiled cable to power the headlights
- Slow speed single axle trailer with suspension
- Each lamp has its own On/Off switch
- Lockable doors





New Equipment List

DIESEL PUMPS

Euromacchine
GROUP FORCE

3419MX Diesel Pump

4" Diesel Pumps

- Pump Brand Cornell
- Pump Model 3419MX
- Max Flow 185 m³/h
- Max Head 215 m
- Engine Brand Caterpillar
- Engine Model C7.1
- Power 205 kW



3617MX Diesel Pump

6" Diesel Pumps

- Pump Brand Cornell
- Pump Model 3617MX
- Max Flow 277 m³/h
- Max Head 150 m
- Engine Brand Caterpillar
- Engine Model C7.1
- Power 205 kW



4622MX Diesel Pump

6" Diesel Pumps

- Pump Brand Cornell
- Pump Model 4622MX
- Max Flow 381 m³/h
- Max Head 205 m
- Engine Brand Scania
- Engine Model DC09 074
- Power 255 kW



6NNT Diesel Pump

6" Diesel Pumps

- Pump Brand Cornell
- Pump Model 6NNT
- Max Flow 624 m³/h
- Max Head 46 m
- Engine Brand Perkins
- Engine Model 404D-22T
- Power 38kW / 51 Hp



6612T Diesel Pump

6" Diesel Pumps


- Pump Brand Cornell
- Pump Model 6612T
- Max Flow 635 m³/h
- Max Head 71 m
- Engine Brand Perkins
- Engine Model 1104D-44T
- Power 64kW / 87 Hp



6822MX Diesel Pump

8" Diesel Pumps

- Pump Brand Cornell
- Pump Model 6822MX
- Max Flow 965 m³/h
- Max Head 200 m
- Engine Brand Scania
- Engine Model DC16 086A 01-03A
- Power 566 kW



8NHTA Diesel Pump

8" Diesel Pumps

- Pump Brand Cornell
- Pump Model 8NHTA
- Max Flow 1,200 m³/h
- Max Head 115 m
- Engine Brand Cummins
- Engine Model QSL9
- Power 242 kW



AFTER SALES CAPABILITIES

Brooks' service extends far beyond the sale of a machine. Brooks Mechanical is a division of the Brooks Group Australia, offering a 24/7 on-call mobile mechanical service. Our team of highly skilled technicians are ready to service, repair, or rebuild your equipment, wherever that may be.



OUR SERVICES AND CAPABILITIES

We offer skilled labour hire contracts, remote field service callouts, machinery assembly, and component rebuilds to the mining and civil industries. We can also supply OEM parts, mine spec. fleet hire, service truck hire, mining equipment hire, site services, and hot shot air freight.

SKILLED LABOUR HIRE



Our skilled labour hire service particularly caters to the mining & civil sectors. Available for short or long-term contracts.

HEAVY MACHINERY SERVICE AND REPAIRS



Skilled technicians and mine spec. service vehicles are on-call for heavy equipment repairs and servicing, country-wide.

HEAVY EQUIPMENT ASSEMBLY AND REBUILDS



New heavy equipment assembly, and used equipment tear down, overhaul, and rebuilds.

COMPONENT REBUILDS



Major component overhauls on all parts including transmissions, engines, diffs, and undercarriages.

CAPABILITY TO DELIVER

- **Mobile & Fixed Plant Maintenance.** Servicing and repairing both mobile and fixed plant equipment, ensuring reliable performance and minimal downtime across all types of machinery.
- **Civil & Mining Industry Support.** Skilled mechanical labour to support operations in both civil construction and mining sectors, with personnel who understand the demands of heavy-duty environments and compliance requirements.
- **General Repairs.** From routine mechanical fixes to complex diagnostics, our technicians can perform a wide range of general repairs to keep your fleet running efficiently.
- **Breakdown Response.** Rapid-response mechanical support for unplanned equipment failures, with the ability to dispatch technicians to site promptly.
- **Scheduled Servicing.** Offering regular servicing tailored to your fleet and site schedules to maximise performance and safety, and ensure equipment longevity.
- **Air Conditioning Services.** Qualified specialists to carry out air conditioning repairs, re-gassing, and system maintenance, ensuring operator comfort and compliance with site regulations.
- **Auto Electrical Work.** Handling diagnostics, repairs, and installations for a wide range of auto electrical systems, including lighting, control systems, battery issues, and more.
- **Workshop or Field-Based Support.** Whether you need in-field service at remote sites or prefer workshop-based repairs, Brooks Mechanical offers flexible labour solutions tailored to your operational needs, and 24 / 7 support.

CONTACT OUR BROOKS EQUIPMENT TEAM



Nathan Fenemer
General Manager

☎ 0438 631 952
@ nfenemer@brooksequipment.com.au



Joe Goulding
Sales Representative

☎ 0497 444 025
@ jgoulding@brooksequipment.com.au



Kai Li
Sales Representative

☎ 0487 759 382
@ kli@brooksequipment.com.au



Rhett Rosenius
Sales Representative

☎ 0438 712 514
@ rosenius@brooksequipment.com.au



Caleb Sheldon
Sales Representative
Queensland

☎ 0499 158 420
@ csheldon@brooksequipment.com.au



James Kain
Sales Representative
South Australia

☎ 0437 939 810
@ jkain@brooksequipment.com.au



Michael Konecny
Sales Representative
South Australia

☎ 0456 658 059
@ mkonecny@brooksequipment.com.au



Kirsten Swenson
Sales Delivery Manager

☎ 0408 795 739
@ kswenson@brooksequipment.com.au



Ashley Pearce
Aftersales Manager

☎ 0417 882 961
@ apearce@brooksequipment.com.au



BROOKS
EQUIPMENT

Authorised Dealers for:

