BROOKS
EQUIPMENT

Phone: 1300 276 657
Email: sales@brooksequipment.com.au
www.brooksequipment.com.au

Brooks Equipment Sales Pty Ltd ACN 646 171 217 as trustee for Brooks Equipment Sales Trust ABN 92 455 723 027

SANY *Authorised Dealer*

www.brooksequipment.com.au

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

PERTH

Brooks Hire Head Office
30 Coulson Way
Canning Vale WA 6155

Brooks Equipment Head Office
39-43 Murray Road North
Welshpool WA 6106

Brooks Access & Brooks Site Services Head Office
45-47 Murray Road North
Welshpool WA 6106

SYDNEY
3 Glossop Street
North St Marys NSW 2760

MELBOURNE
610 Geelong Road
Brooklyn VIC 3012

BRISBANE
2355 Ipswich Road
Oxley QLD 4075

ADELAIDE
525 South Road
Regency Park SA 5010

PORT AUGUSTA
70 Victoria Parade
Port Augusta SA 5700

DARWIN
402 Stuart Highway
Winnellie NT 0820

ALBANY
140 Chester Pass Road
Lange WA 6330

BUNBURY
3 Richter Road
Davenport WA 6230

GERALDTON
67-73 Flores Road
Webberton WA 6530

KALGOORLIE
2-4 Williams Street
West Kalgoorlie WA 6430

PORT HEDLAND
1 Manganese Street
Wedgefield WA 6721

NEWMAN
2 Bangkerbang Close
Newman WA 6753

KARRATHA
1 Coolawanyah Road
Karratha WA 6714

TOOWOOMBA
8575 Warrego Highway
Withcott QLD 4352

DALBY
172 Drayton Street
Dalby QLD 4405

MACKAY
27 Barnes Creek Road
Cremorne QLD 4740

WHO ARE BROOKS EQUIPMENT?

Brooks Equipment is a part of the Brooks Hire Group, an Australian family owned and operated business since 1979. With over 40 years experience in construction machinery, we've built a solid reputation of reliability and integrity.

We specialise in the sale of new and used construction equipment.

WHAT CAN WE OFFER YOU?

SANY
Husqvarna CONSTRUCTION
italdem
GENMAC your power source.
Chicago Pneumatic
Euromacchine GROUP FORCE
CAT
KOMATSU
VOLVO
HITACHI
BOMAG

QUALITY ASSURANCE

- ISO & Australian Standards in Quality Management, Health & Safety, and Environmental Management.

NEW EQUIPMENT

- Authorised dealers for Husqvarna Construction, Italdem, CompAir, and Genmac.
- Growing range of equipment such as Plate Compactors, Trench Rollers, Compressors, Rock Breakers, Light Towers, and Generators.

USED EQUIPMENT

- Large range of earthmoving equipment such as Excavators, Wheel Loaders, Tool Carriers, Dump Trucks, Graders, Smooth Drum Rollers, and Multi Tyre Rollers.
- Quality brands such as Caterpillar, Komatsu, Volvo, Hitachi, Hyundai, and Bomag.

SERVICE & PARTS

- Team of specialist Parts Interpreters with a huge range of spare parts kept in store.

TRANSPORT & DELIVERY

- 16 Branches Australia wide. Delivery can be facilitated to any jobsite in Australia.

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

SANY EXCAVATORS

Sany SY16C

1.75 t Excavator - Rubber Tracked

- Operating Weight 1.75 t
- Boom Length 1.81 m
- Tear-out Force 15.2 kN
- Max. Digging Reach 4 m
- Max. Digging Depth 2.36 m
- Engine Type YANMAR T4
- Engine Rated Power 14.6 kW/2400 rpm

Sany SY18C

1.85 t Excavator - Rubber Tracked

- Operating Weight 1.85 t
- Boom Length 1.81 m
- Tear-out Force 15.2 kN
- Max. Digging Reach 4 m
- Max. Digging Depth 2.36 m
- Engine Type YANMAR T4
- Engine Rated Power 14.6 kW/2400 rpm

Sany SY26U

2.76 t Excavator - Rubber Tracked

- Operating Weight 2.76 t
- Boom Length 2.1 m
- Tear-out Force 27.4 kN
- Max. Digging Reach 4.74 m
- Max. Digging Depth 2.82 m
- Engine Type YANMAR T4
- Engine Rated Power 14.6 kW/2400 rpm

Sany SY35U

3.86 t Excavator - Rubber Tracked

- Operating Weight 3.86 t
- Boom Length 2.54 m
- Tear-out Force 30.4 kN
- Max. Digging Reach 5.46 m
- Max. Digging Depth 3.10 m
- Engine Type YANMAR T4
- Engine Rated Power 18.2 kW/2200 rpm

Sany SY50U

5.3 t Excavator - Rubber Tracked

- Operating Weight 5.3 t
- Boom Length 2.7 m
- Tear-out Force 32.5 kN
- Max. Digging Reach 5.88 m
- Max. Digging Depth 3.42 m
- Engine Type YANMAR T4
- Engine Rated Power 29.1 kW/2400 rpm

Sany SY60C

5.78 t Excavator - Steel Tracked

- Operating Weight 5.78 t
- Boom Length 3 m
- Tear-out Force 51 kN
- Max. Digging Reach 6.11 m
- Max. Digging Depth 3.83 m
- Engine Rated Power 45 kW/2200 rpm

Sany SY75C

7.28 t Excavator - Steel Tracked

- Operating Weight 7.28 t
- Boom Length 3.72 m
- Tear-out Force 51 kN
- Max. Digging Reach 6.60 m
- Max. Digging Depth 4.45 m
- Engine Type ISUZU T4
- Engine Rated Power 43 kW/2000 rpm

Sany SY80U

8.8 t Excavator - Steel Tracked

- Operating Weight 8.8 t
- Boom Length 3.49 m
- Tear-out Force 72.7 kN
- Max. Digging Reach 7.29 m
- Max. Digging Depth 4.53 m
- Engine Type YANMAR T4
- Engine Rated Power 54.4 kW/2100 rpm

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

SANY EXCAVATORS

Sany SY95C

9.2 t Excavator - Steel Tracked

- Operating Weight 9.2 t
- Boom Length 3.92 m
- Tear-out Force 63.6 kN
- Max. Digging Reach 7.26 m
- Max. Digging Depth 4.33 m
- Engine Type YANMAR T4
- Engine Rated Power 53.1 kW/2100 rpm

Sany SY135C

13.5 t Excavator - Steel Tracked

- Operating Weight 13.5 t
- Boom Length 4.6 m
- Tear-out Force 92.7 kN
- Max. Digging Reach 8.29 m
- Max. Digging Depth 5.51 m
- Engine Type ISUZU T4
- Engine Rated Power 73 kW/2000 rpm

Sany SY155U

16 t Excavator - Steel Tracked

- Operating Weight 16 t
- Boom Length 4.6 m
- Tear-out Force 103 kN
- Max. Digging Reach 8.33 m
- Max. Digging Depth 5.46 m
- Engine Type ISUZU T4
- Engine Rated Power 75.5 kW/1900 rpm

Sany SY155W

13.7 t Excavator - Wheeled

- Operating Weight 13.7 t
- Boom Length 4.6 m
- Tear-out Force 102.3 kN
- Max. Digging Reach 7.96 m
- Max. Digging Depth 4.8 m
- Engine Type DEUTZ
- Engine Rated Power 122 kW/2300 rpm

Sany SY215C

22 t Excavator - Steel Tracked

- Operating Weight 22 t
- Boom Length 5.7 m
- Tear-out Force 138 kN
- Max. Digging Reach 10.28 m
- Max. Digging Depth 6.6 m
- Engine Type MITSUBISHI T4
- Engine Rated Power 114 kW/2050 rpm

Sany SY305H

31.5 t Excavator - Steel Tracked

- Operating Weight 31.5 t
- Boom Length 6.47 m
- Tear-out Force 204 kN
- Max. Digging Reach 10.81 m
- Max. Digging Depth 7.41 m
- Engine Type ISUZU T4
- Engine Rated Power 2012 kW/2000 rpm

Sany SY365H

36.2 t Excavator - Steel Tracked

- Operating Weight 36.2 t
- Boom Length 6.47 m
- Tear-out Force 200 kN
- Max. Digging Reach 11.07 m
- Max. Digging Depth 7.33 m
- Engine Type ISUZU T4
- Engine Rated Power 205 kW/2000 rpm

Sany SY500H

54.5 t Excavator - Steel Tracked

- Operating Weight 54.5 t
- Boom Length 7 m
- Tear-out Force 275 kN
- Max. Digging Reach 12.03 m
- Max. Digging Depth 7.71 m
- Engine Type CUMMINS T4
- Engine Rated Power 298 kW/2100 rpm

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

SANY EXCAVATORS

SANY

Sany SY750H

76.2 t Excavator - Steel Tracked

- Operating Weight 76.2 t
- Bucket Capacity 4.2 m^3
- Boom Length 7 m
- Tear-out Force 402 kN
- Max. Digging Reach 12.05 m
- Max. Digging Depth 7.76 m
- Engine Rated Power 377 kW/1800 rpm

Sany SY870H

78.6 t Excavator - Steel Tracked

- Operating Weight 78.6 t
- Bucket Capacity 5.0 - 5.4 m^3
- Boom Length 7 m
- Tear-out Force 432 - 469 kN
- Max. Digging Reach 7.24 m
- Max. Digging Depth 5.51 m
- Engine Rated Power 377 kW/1800 rpm

Sany SY1250H - COMING SOON!

125 t Excavator - Steel Tracked

- Operating Weight 125 t
- Bucket Capacity 7 - 7.8 m^3
- Boom Length 7 m
- Tear-out Force 460 kN
- Max. Digging Reach 12.50 m
- Max. Digging Depth 8.06 m
- Engine Rated Power 377 kW/1800 rpm

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

TAMPERS

Husqvarna LT 5005

Weight: 62kg

- Motor/Engine Model: HONDA GXR120
- Power Output: 2.7 kW
- Exhaust Emmissions: 976 g/kWh
- Power Fuel Type: Petrol
- Vibration Frequency: 12 Hz
- Speed: 16.5 m/min

Husqvarna LT 6005

Weight: 69kg

- Motor/Engine Model: HONDA GXR120
- Power Output: 2.7 kW
- Exhaust Emmissions: 674 g/kWh
- Power Fuel Type: Petrol
- Vibration Frequency: 12 Hz
- Speed: 16.5 m/min

Husqvarna LT 8005

Weight: 62kg

- Motor/Engine Model: HATZ 1B20
- Power Output: 3 kW
- Exhaust Emmissions: 1018 g/kWh
- Power Fuel Type: Diesel
- Vibration Frequency: 12 Hz
- Speed: 11.5 m/min

DEMOLITION ROBOT

Husqvarna DXR 300 - Remote Control

Weight: 1960kg

- Battery Capacity: 2.25 Ah
- Power Output: 22 kW
- Hydraulic Oil Flow: 75 l/min
- Oil Capacity: 42 l
- Hammer Type: SB 302
- Reach Up: 5.2 m
- Reach Forward: 4.9 m
- Battery Type: Li-Ion

The Husqvarna DXR 300 is the most powerful remote-controlled demolition robot. Together with the hammer, SB 302, it has the highest power-to-weight ratio in its class on the market. With an impressive 22 kW power and only 78cm wide it fits through all normal doorways. This unique combination opens up a very wide application window. The arm delivers long reach, precise positioning of the tool and requires minimal servicing. For DXR 300 we offer cylinder protection, enhanced cooling and heat protection. This enables you to work with the machine in high ambient temperatures and with the tool in a high radiation heat

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

PLATE COMPACTORS

Husqvarna CONSTRUCTION

Husqvarna LF 50 L

53kg Forward Plate Compactor - Soil

- Motor/Engine Model: HONDA GX 100
- Power Output: 2.1 kW
- Exhaust Emmissions: 976 g/kWh
- Power Fuel Type: Petrol
- Vibration Frequency: 95 Hz
- Centrifugal Force: 8 kN
- Speed: 32 m/min

Husqvarna LF 60 LAT

67kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model: HONDA GX 100
- Power Output: 2.1 kW
- Exhaust Emmissions: 757 g/kWh
- Power Fuel Type: Petrol
- Vibration Frequency: 95 Hz
- Centrifugal Force: 10 kN
- Speed: 25 m/min

Husqvarna LFV 80

Forward Plate Compactor

- Motor/Engine Model: HONDA GX 160
- Power Output:
- Exhaust Emmissions: 757 g/kWh
- Power Fuel Type: Petrol
- Sound Power Level: 104 dB(A)
- Sound Pressure Level at operators ear: 93 dB(A)

Husqvarna LF 80 L

84kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model: HONDA GX 160
- Power Output: 3.6 kW
- Exhaust Emmissions: 757 g/kWh
- Power Fuel Type: Petrol
- Vibration Frequency: 95 Hz
- Centrifugal Force: 19 kN
- Speed: 32 m/min

Husqvarna LF 75 LAT

95kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model: HONDA GX 160
- Power Output: 3.6 kW
- Exhaust Emmissions: 757 g/kWh
- Power Fuel Type: Petrol
- Vibration Frequency: 95 Hz
- Centrifugal Force: 15 kN
- Speed: 27 m/min

Husqvarna LF 100 LAT

118kg Forward Plate Compactor - Soil & Asphalt

- Motor/Engine Model: HATZ 1B20
- Power Output: 3.2 kW
- Exhaust Emmissions: 987 g/kWh
- Power Fuel Type: Diesel*
- Vibration Frequency: 95 Hz
- Centrifugal Force: 17 kN
- Speed: 25 m/min

Husqvarna LG 164

166kg Forward & Reversable Plate Compactor - Small

- Motor/Engine Model: HATZ 1B20
- Power Output: 3.6 kW
- Exhaust Emmissions: 987 g/kWh
- Power Fuel Type: Diesel*
- Vibration Frequency: 80 Hz
- Centrifugal Force: 28 kN
- Speed: 32 m/min

Husqvarna LG 204

251kg Forward & Reversable Plate Compactor - Small

- Motor/Engine Model: HATZ 1B20
- Power Output: 3.1 kW
- Exhaust Emmissions: 987 g/kWh
- Power Fuel Type: Diesel*
- Vibration Frequency: 65 Hz
- Centrifugal Force: 36 kN
- Speed: 22 m/min

*Petrol option available

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

PLATE COMPACTORS

Husqvarna CONSTRUCTION

Husqvarna LG 300

282kg Forward & Reversable Plate Compactor - Small

- Motor/Engine Model: HATZ 1B30
- Power Output: 4.4 kW
- Exhaust Emmissions: 987 g/kWh
- Power Fuel Type: Diesel*
- Vibration Frequency: 68 Hz
- Centrifugal Force: 40 kN
- Speed: 25 m/min

Husqvarna LG 400

436kg Forward & Reversable Plate Compactor - Medium

- Motor/Engine Model: LOMBARDINI
- Power Output: 6.2 kW
- Exhaust Emmissions: 757 g/kWh
- Power Fuel Type: Diesel*
- Vibration Frequency: 60 Hz
- Centrifugal Force: 52 kN
- Speed: 25 m/min

Husqvarna LG 504

513kg Forward & Reversable Plate Compactor - Medium

- Motor/Engine Model: HATZ 1D81Z
- Power Output: 9.1 kW
- Exhaust Emmissions: 975 g/kWh
- Power Fuel Type: Diesel
- Vibration Frequency: 69 Hz
- Centrifugal Force: 65 kN
- Speed: 32 m/min

Husqvarna LH 700

780kg Forward & Reversable Plate Compactor - Heavy

- Motor/Engine Model: HATZ 1D90V
- Power Output: 11 kW
- Exhaust Emmissions: 974.76 g/kWh
- Power Fuel Type: Diesel
- Vibration Frequency: 53 Hz
- Centrifugal Force: 95 kN
- Speed: 30 m/min



Husqvarna LH 804 - Remote Control

820kg Forward & Reversable Plate Compactor - Heavy

- Motor/Engine Model: HATZ 1D90V
- Power Output: 11 kW
- Exhaust Emmissions: 974.76 g/kWh
- Power Fuel Type: Diesel
- Vibration Frequency: 56 Hz
- Centrifugal Force: 95 kN
- Speed: 30 m/min

*Petrol option available

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

DOUBLE DRUM ROLLERS

Husqvarna LP 6505

Weight: 765kg

- Motor/Engine Model HATZ 1D42S
- Power Output 6.8 kW
- Exhaust Emmissions 993.78 g/kWh
- Power Fuel Type Diesel
- Frequency 58Hz
- Centrifugal Force 22 kN
- Speed 60 m/min
- Starter Electric

TRENCH ROLLERS

Husqvarna LP 9505 - Remote Control

Weight: 1680kg

- Motor/Engine Model D1105
- Power Output 18 kW
- Exhaust Emmissions 976 g/kWh
- Power Fuel Type Diesel
- Frequency 42Hz
- Speed Forward Max 1.35km/h
- Speed 22.5 m/min
- Starter Electric

The highly productive Husqvarna LP 9505 articulated trench compactor delivers a smooth, compacted surface, which doesn't dig up soil when turning. Due to the high operating weight and ultimate traction, it is suitable for all kinds of soils (dry or wet) but especially suited for cohesive materials like clay and silt. The fuel-efficient engine provides class-leading power for a whole day of uninterrupted work and the radio remote control offers great flexibility, better ergonomics and safer working conditions. Servicing is quick and easy with all service points clearly marked and easily accessed under the hoods.

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

CONCRETE PLACEMENT

Husqvarna CONSTRUCTION

Husqvarna CT 36

Walk Behind Trowel

- Motor Manufacturer: Honda
- Motor/Engine Model: GX160
- Power Output: 3.6 kW
- Fuel Tank Volume: 3.1 L
- Exhaust Emissions: 757 g/kWh
- Sound Pressure Level at operators ear: 103 dB(A)

Husqvarna CT 48

Walk Behind Trowel

- Motor Manufacturer: Honda
- Motor/Engine Model: GX340
- Power Output: 8 kW
- Fuel Tank Volume: 6.1 L
- Exhaust Emissions: 743 g/kWh
- Sound Pressure Level at operators ear: 113 dB(A)

Husqvarna CRT 36

Ride-on Trowel

- Motor Manufacturer: Honda
- Motor/Engine Model: GX690
- Power Output: 16.5 kW
- Fuel Tank Volume: 24.2 L
- Exhaust Emissions: 751 g/kWh
- Sound Pressure Level at operators ear: 91.2 dB(A)

Husqvarna CRT 48PS

Ride-on Trowel

- Motor Manufacturer: Kubota
- Motor/Engine Model: WG1605
- Power Output: 42.5 kW
- Fuel Tank Volume: 24.6 L
- Exhaust Emissions: 1075 g/kWh
- Sound Pressure Level at operators ear: 94.3 dB(A)

Husqvarna CRT 60 X

Ride-on Trowel

- Motor Manufacturer: Kohler
- Motor/Engine Model: KDI2504TCR
- Power Output: 55 kW
- Fuel Tank Volume: 44.71 L
- Sound Pressure Level at operators ear: 93.4 dB(A)

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

ROCK BREAKERS

italdem

Italdem GK 75 S

Excavator Size: 0.5 - 2 Tonne

- Operating Weight 75kg
- Tool Diameter 40mm
- Oil Flow 13 - 25 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 6 hp
- Impact Rate 750 - 1430

Italdem GK 100 S

Excavator Size: 1 - 3 Tonne

- Operating Weight 105kg
- Tool Diameter 46mm
- Oil Flow 15 - 30 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 7 hp
- Impact Rate 700 - 1350

Italdem GK 165 S

Excavator Size: 2 - 4.5 Tonne

- Operating Weight 155kg
- Tool Diameter 56mm
- Oil Flow 25 - 40 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 9.5 hp
- Impact Rate 670 - 1050

Italdem GK 225 S

Excavator Size: 3 - 6 Tonne

- Operating Weight 220kg
- Tool Diameter 67mm
- Oil Flow 35 - 60 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 14 hp
- Impact Rate 620 - 1050

Italdem GK 320 S

Excavator Size: 4.5 - 9 Tonne

- Operating Weight 330kg
- Tool Diameter 80mm
- Oil Flow 45 - 85 l/min
- Working Pressure 95 - 105 bar
- Relief Valve 140 bar
- Required Power 20 hp
- Impact Rate 540 - 1000

Italdem GK 450 S

Excavator Size: 7 - 11 Tonne

- Operating Weight 450kg
- Tool Diameter 85mm
- Oil Flow 75 - 100 l/min
- Working Pressure 105 - 115 bar
- Relief Valve 150 bar
- Required Power 25.5 hp
- Impact Rate 650 - 900

Italdem GK 630 S

Excavator Size: 9 - 15 Tonne

- Operating Weight 650kg
- Tool Diameter 105mm
- Oil Flow 110 - 130 l/min
- Working Pressure 110 - 120 bar
- Relief Valve 170 bar
- Required Power 35 hp
- Impact Rate 600 - 650

Italdem GK 1060 S

Excavator Size: 13 - 20 Tonne

- Operating Weight 1050kg
- Tool Diameter 114mm
- Oil Flow 130 - 150 l/min
- Working Pressure 110 - 120 bar
- Relief Valve 170 bar
- Required Power 38 hp
- Impact Rate 500 - 600

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

ROCK BREAKERS

italdem

Italdem GK 1360 S

Excavator Size: 18 - 25 Tonne

- Operating Weight 1350kg
- Tool Diameter 120mm
- Oil Flow 150 - 160 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 50 hp
- Impact Rate 600

Italdem GK 1560 S

Excavator Size: 20 - 28 Tonne

- Operating Weight 1500kg
- Tool Diameter 132mm
- Oil Flow 160 - 170 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 56 hp
- Impact Rate 580

Italdem GK 1810 S

Excavator Size: 22 - 30 Tonne

- Operating Weight 1800kg
- Tool Diameter 140mm
- Oil Flow 200 - 210 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 70 hp
- Impact Rate 550
- Max. Noise Level (silenced version) 88 db-A

Italdem GK 2500 S

Excavator Size: 28 - 40 Tonne

- Operating Weight 2400kg
- Tool Diameter 150mm
- Oil Flow 220 - 230 l/min
- Working Pressure 140 - 150 bar
- Relief Valve 200 bar
- Required Power 78 hp
- Impact Rate 550
- Max. Noise Level (silenced version) 88 db-A

Italdem GK 3000 S

Excavator Size: 30 - 50 Tonne

- Operating Weight 3000kg
- Tool Diameter 165mm
- Oil Flow 250 - 260 l/min
- Working Pressure 150 - 160 bar
- Relief Valve 200 bar
- Required Power 93 hp
- Impact Rate 500
- Max. Noise Level (silenced version) 88 db-A

Italdem GK 4000 S

Excavator Size: 40 - 65 Tonne

- Operating Weight 4000kg
- Tool Diameter 185mm
- Oil Flow 300 - 310 l/min
- Working Pressure 150 - 160 bar
- Relief Valve 200 bar
- Required Power 112 hp
- Impact Rate 450
- Max. Noise Level (silenced version) 88 db-A

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

GENERATORS

GENMAC your power source.

Genmac Combiplus RG5000YEO AVR

Autonomy at 75% of load	**15h**
PRP Continuous Power	5 kVA
PRP Continuous Power	4.5 kW
Engine Brand	Yanmar
Engine Model	L100
Voltage VAC	230
Frequency	50 Hz
Intentcity in Amp.	21
Weight	95 kg

Genmac Dynamic G20PS

Autonomy at 75% of load	**18h**
PRP Continuous Power	20 kVA
PRP Continuous Power	16 kW
LTP Stand-by Power	22 kVA
LTP Stand-by Power	18 kW
Voltage VAC	400/230
Frequency	50 Hz
Ampere PRP / LTP	29/72
Speed	1500 rpm

Genmac Strong G45PS

Autonomy at 75% of load	**12h**
PRP Continuous Power	45 kVA
PRP Continuous Power	36 kW
LTP Stand-by Power	50 kVA
LTP Stand-by Power	40 kW
Voltage VAC	400/230
Frequency	50 Hz
Ampere PRP / LTP	65/72
Speed	1500 rpm

Genmac King G80PS

Autonomy at 75% of load	**11h**
PRP Continuous Power	80 kVA
PRP Continuous Power	64 kW
LTP Stand-by Power	88 kVA
LTP Stand-by Power	70 kW
Voltage VAC	400/230
Frequency	50 Hz
Ampere PRP / LTP	116/127
Speed	1500 rpm

Genmac Queen G100PS

Autonomy at 75% of load	**16h**
PRP Continuous Power	100 kVA
PRP Continuous Power	80 kW
LTP Stand-by Power	110 kVA
LTP Stand-by Power	88 kW
Voltage VAC	400/230
Frequency	50 Hz
Ampere PRP / LTP	145/159
Speed	1500 rpm

Genmac Queen G150PS-E3

Autonomy at 75% of load	**9h**
PRP Continuous Power	150 kVA
PRP Continuous Power	120 kW
LTP Stand-by Power	172 kVA
LTP Stand-by Power	138 kW
Voltage VAC	400/230
Frequency	50 Hz
Ampere PRP / LTP	217/249
Speed	1500 rpm

Genmac Royal G300PS

Autonomy at 75% of load	**7h**
PRP Continuous Power	300 kVA
PRP Continuous Power	240 kW
LTP Stand-by Power	330 kVA
LTP Stand-by Power	264 kW
Voltage VAC	400/230
Frequency	50 Hz
Ampere PRP / LTP	434/477
Speed	1500 rpm

Genmac Magnum G500PS-E3

Autonomy at 75% of load	**8h**
PRP Continuous Power	500 kVA
PRP Continuous Power	400 kW
LTP Stand-by Power	550 kVA
LTP Stand-by Power	440 kW
Voltage VAC	400/230
Frequency	50 Hz
Ampere PRP / LTP	723/795
Speed	1500 rpm

BROOKS EQUIPMENT

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

GENERATORS

GENMAC your power source.

Genmac Omega G600PS

Autonomy at 75% of load 11h

- PRP Continuous Power 600 kVA
- PRP Continuous Power 480 kW
- LTP Stand-by Power 660 kVA
- LTP Stand-by Power 528 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 867/954
- Speed 1500 rpm

Genmac Platinum G800PS

Autonomy at 75% of load 11h

- PRP Continuous Power 800 kVA
- PRP Continuous Power 640 kW
- LTP Stand-by Power 891 kVA
- LTP Stand-by Power 713 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 1156/1288
- Speed 1500 rpm

Genmac Extreme G1000PS

Autonomy at 75% of load 2h

- PRP Continuous Power 1035 kVA
- PRP Continuous Power 828 kW
- LTP Stand-by Power 1138 kVA
- LTP Stand-by Power 910 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 1496/1645
- Speed 1500 rpm

Genmac Extreme G1700PS

Autonomy at 75% of load 1h

- PRP Continuous Power 1705 kVA
- PRP Continuous Power 1364 kW
- LTP Stand-by Power 1875 kVA
- LTP Stand-by Power 1500 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 2464/2710
- Speed 1500 rpm

Genmac Star G200PO

Autonomy at 75% of load 10h

- PRP Continuous Power 200 kVA
- PRP Continuous Power 160 kW
- LTP Stand-by Power 220 kVA
- LTP Stand-by Power 176 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 289/318
- Speed 1500 rpm

Genmac Majestic G500PO

Autonomy at 75% of load 8h

- PRP Continuous Power 500 kVA
- PRP Continuous Power 400 kW
- LTP Stand-by Power 550 kVA
- LTP Stand-by Power 440 kW
- Voltage VAC 400/230
- Frequency 50 Hz
- Ampere PRP / LTP 723/795
- Speed 1500 rpm

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

LIGHTING TOWERS

GENMAC your power source.

Genmac Winky

- Illuminated Surface 5000 m²
- Light Type MultiLED
- Lights 4 x 320 W LED
- Lumen 166200
- Mast Hydraulic
- Mast Height Max 8.5 m
- Rotation 359⁰
- Resistance to Wind 110 Km/h
- Base With forklift pockets
- Dimensions 120x100x230 cm
- Weight 550 kg
- Galvanized telescopic mast
- Each lamp has its own On/Off switch

Genmac Bellatrix

- Illuminated Surface 4900 m²
- Lights 4 x 350 W LED
- Mast Hydraulic
- Mast Height Max 8.5 m
- Rotation 350⁰
- Base With forklift pockets
- Fuel Diesel
- Zinc plating steel telescopic mast
- Sound-proof diesel generator with engine protection card.
- Coiled cable to power the headlights
- Slow speed single axle trailer with suspension
- Each lamp has its own On/Off switch
- Lockable doors

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

LIGHTING TOWERS

Chicago Pneumatic

Chicago Pnuematic CPLT15 LED

- Illuminated Surface 5000 m²
- Light Type LED
- Lights 4 x 350 W LED
- Lumen 166200
- Mast Manual Vertical
- Mast Height Max 7.5 m
- Rotation 360⁰
- Resistance to Wind 80 Km/h
- Base With forklift pockets
- Dimensions 167x110x250 cm
- Weight 702 kg
- Emergency stop button
- A heavy-duty Red Rock polyethylene canopy featuring environmentally friendly frame that prevents any excess fluid from escaping.

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

COMPRESSORS

Chicago Pneumatic

Chicago Pnuematic T75-7

Engine: Kubota D722

- Engine Power 14.9 kW
- RPM Range 1800-3400
- Air Delivery m³/min 2.1
- Working Pressure bar 7
- Flow (cfm) 75
- Engine Oil 3 L
- Diesel Tank 20 L
- Compressor Oil 5 L

Chicago Pnuematic T110-7

Engine: Kubota D902

- Engine Power 18.5 kW
- RPM Range 2000-3600
- Air Delivery m³/min 2.8
- Working Pressure bar 7
- Flow (cfm) 110
- Engine Oil 3 L
- Diesel Tank 20 L
- Compressor Oil 5 L

Chicago Pnuematic T130-7

Engine: Kubota V1505

- Engine Power 26.5 kW
- RPM Range 1600-3000
- Air Delivery m³/min 3.7
- Working Pressure bar 7
- Flow (cfm) 130
- Engine Oil 5.5 L
- Diesel Tank 62 L
- Compressor Oil 9 L

Chicago Pnuematic T175-7

Engine: Kubota V1505

- Engine Power 26.5 kW
- RPM Range 1600-3000
- Air Delivery m³/min 5
- Working Pressure bar 7
- Flow (cfm) 175
- Engine Oil 5.5 L
- Diesel Tank 62 L
- Compressor Oil 9 L

Chicago Pnuematic T190-7

Engine: Kubota V1505

- Engine Power 26.5 kW
- RPM Range 1600-3000
- Air Delivery m³/min 5.4
- Working Pressure bar 7
- Flow (cfm) 190
- Engine Oil 5.5 L
- Diesel Tank 62 L
- Compressor Oil 9 L

Chicago Pnuematic T190-12

Engine: Kubota V2403T

- Engine Power 47.9 kW
- RPM Range 1600-2700
- Air Delivery m³/min 5.5
- Working Pressure bar 12
- Flow (cfm) 190
- Engine Oil 9.5 L
- Diesel Tank 100 L
- Compressor Oil 11 L

Chicago Pnuematic T250-7

Engine: Kubota V2403T

- Engine Power 47.9 kW
- RPM Range 1600-2700
- Air Delivery m³/min 7.1
- Working Pressure bar 7
- Flow (cfm) 250
- Engine Oil 9.5 L
- Diesel Tank 100 L
- Compressor Oil 11 L

1300 BROOKS (276 657)
sales@brooksequipment.com.au
brooksequipment.com.au

New Equipment List

DIESEL PUMPS

6NNT Diesel Pump

6" Diesel Pumps

- Pump Brand: Cornell
- Pump Model: 6NNT
- Power Required: 38 kW
- Max Pressure: 40 mt
- Engine Brand: Perkins
- Engine Model: 404D-22T
- Power: 38kW / 51 Hp

6612T Diesel Pump

6" Diesel Pumps

- Pump Brand: Cornell
- Pump Model: 6612T
- Power Required: 64 kW
- Max Pressure: 64 mt
- Engine Brand: Perkins
- Engine Model: 1104D-44T
- Power: 64kW / 87 Hp

Victor S150 Self-Priming Pump

6" Diesel Pumps

- Suction Flange: DN 150 (6")
- Pump Model: Victor S150
- Power Required: 26.1 kW
- Max Pressure: 40 mt
- Engine Brand: Perkins
- Engine Model: 404D-22T
- Power: 38kW / 51 Hp

CONTACT OUR BROOKS EQUIPMENT TEAM

Nathan Fenemer
General Manager

0438 631 952
@ nfenemer@brooksequipment.com.au

Angelo Francesca
Sales Representative

0460 293 285
@ afrancesca@brooksequipment.com.au

Garry Leo
Sales Representative

0477 999 117
@ gleo@brooksequipment.com.au

Kirsten Swenson
Sales Coordinator

+61 8 6258 9847
@ kswenson@brooksequipment.com.au

Ashley Pearce
Leading Hand

0417 882 961
@ apearce@brooksequipment.com.au

Rodney Ridden
Technical Support

0482 976 509
@ rridden@brooksequipment.com.au



☎ **1300 BROOKS** (1300 276 657)
@ sales@brooksequipment.com.au
www.brooksequipment.com.au

BROOKS EQUIPMENT

Authorised Dealers for

SANY · Husqvarna CONSTRUCTION · GENMAC your power source. · Chicago Pneumatic · Euromacchine GROUP FORCE · italdem